



| Cod.        | Trabajo ( Items.)                             | unid.          | Ene-08 | Feb-08 | Mar-08 | Abr-08 | May-08 | Jun-08 | Jul-08 | Ago-08 | Sep-08 | Oct-08 | Nov-08 | Dic-08 |
|-------------|---|----------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>1100</b> | <b>DEMOLICION Y RETIROS</b>                   |                |        |        |        |        |        |        |        |        |        |        |        |        |
| 1101        | Demolición techo F°C°                         | m <sup>2</sup> | 6,3652 | 6,3652 | 5,8783 | 6,4609 | 6,6435 | 6,4609 | 6,9391 | 6,7565 | 7,0000 | 7,0174 | 7,0174 | 7,0174 |
| 1102        | Demolición techo H°C°                         | m <sup>2</sup> | 6,3652 | 6,3652 | 5,8783 | 6,4609 | 6,6435 | 6,4609 | 6,9391 | 6,7565 | 7,0000 | 7,0174 | 7,0174 | 7,0174 |
| 1103        | Demolición mampostería elev.                  | m <sup>3</sup> | 6,3652 | 6,3652 | 5,8739 | 6,4565 | 6,6391 | 6,4565 | 6,9348 | 6,7522 | 6,9957 | 7,0174 | 7,0174 | 7,0174 |
| 1104        | Demolición de pavimentos                      | m <sup>3</sup> | 6,3652 | 6,3652 | 5,8739 | 6,4565 | 6,6391 | 6,4565 | 6,9348 | 6,7522 | 6,9957 | 7,0174 | 7,0174 | 7,0174 |
| 1105        | Demolición tabique esp. 0,10                  | m <sup>2</sup> | 6,3652 | 6,3652 | 5,8783 | 6,4609 | 6,6435 | 6,4609 | 6,9391 | 6,7565 | 7,0000 | 7,0174 | 7,0174 | 7,0174 |
| 1106        | Demolición rampas de H°A°                     | m <sup>2</sup> | 6,3652 | 6,3652 | 5,8748 | 6,4574 | 6,6400 | 6,4574 | 6,9357 | 6,7530 | 6,9965 | 7,0174 | 7,0174 | 7,0174 |
| 1107        | Demolición de piso de mosaicos                | m <sup>2</sup> | 6,3696 | 6,3696 | 5,8696 | 6,4565 | 6,6413 | 6,4565 | 6,9348 | 6,7500 | 7,0000 | 7,0217 | 7,0217 | 7,0217 |
| 1108        | Demolición contrapiso de Hormigón de cemento  | m <sup>2</sup> | 6,3671 | 6,3671 | 5,8744 | 6,4589 | 6,6377 | 6,4589 | 6,9372 | 6,7536 | 6,9952 | 7,0193 | 7,0193 | 7,0193 |
| 1109        | Retiro de aberturas hasta 2.50 m2             | un             | 6,3652 | 6,3652 | 5,8739 | 6,4565 | 6,6391 | 6,4565 | 6,9348 | 6,7522 | 6,9957 | 7,0174 | 7,0174 | 7,0174 |
| 1110        | Picado de revoques (enluc. y jaharro)         | m <sup>2</sup> | 6,3696 | 6,3696 | 5,8696 | 6,4565 | 6,6413 | 6,4565 | 6,9348 | 6,7500 | 7,0000 | 7,0217 | 7,0217 | 7,0217 |
| 1111        | Demolición de losa H°A°                       | m <sup>3</sup> | 6,3652 | 6,3652 | 5,8739 | 6,4565 | 6,6391 | 6,4565 | 6,9348 | 6,7522 | 6,9957 | 7,0174 | 7,0174 | 7,0174 |
| 1112        | Demolición piso cemento alisado               | m <sup>2</sup> | 6,3696 | 6,3696 | 5,8696 | 6,4565 | 6,6413 | 6,4565 | 6,9348 | 6,7500 | 7,0000 | 7,0217 | 7,0217 | 7,0217 |
| 1113        | Rasqueteo de cielorrasos a la cal             | m <sup>2</sup> | 5,9241 | 5,9873 | 5,6329 | 6,0506 | 6,1899 | 6,0506 | 6,4051 | 6,2658 | 6,4430 | 6,4684 | 6,4684 | 6,4684 |
| 1114        | Rasqueteo y cepillado de paredes              | m <sup>2</sup> | 5,8955 | 5,9701 | 5,6269 | 6,0299 | 6,1493 | 6,0299 | 6,3582 | 6,2388 | 6,4030 | 6,4179 | 6,4179 | 6,4179 |
| 1115        | Retiro de aberturas > 2.50 m2                 | un             | 6,3652 | 6,3652 | 5,8745 | 6,4571 | 6,6398 | 6,4571 | 6,9354 | 6,7528 | 6,9963 | 7,0174 | 7,0174 | 7,0174 |
| 1116        | Picado de mampostería                         | m <sup>2</sup> | 6,3652 | 6,3652 | 5,8783 | 6,4609 | 6,6435 | 6,4609 | 6,9391 | 6,7565 | 7,0000 | 7,0174 | 7,0174 | 7,0174 |
| 1117        | Picado de enlucido                            | m <sup>2</sup> | 6,3103 | 6,3103 | 5,8276 | 6,3966 | 6,5862 | 6,3966 | 6,8793 | 6,6897 | 6,9310 | 6,9655 | 6,9655 | 6,9655 |
| 1118        | Demolición techo de tejas                     | m <sup>2</sup> | 6,3641 | 6,3641 | 5,8750 | 6,4565 | 6,6413 | 6,4565 | 6,9348 | 6,7500 | 6,9946 | 7,0163 | 7,0163 | 7,0163 |
| 1119        | Limp. de cub. c/ retiro asf. y brea           | m <sup>2</sup> | 6,3468 | 6,3468 | 5,8555 | 6,4393 | 6,6185 | 6,4393 | 6,9133 | 6,7341 | 6,9769 | 7,0000 | 7,0000 | 7,0000 |
| 1120        | Limp. y neutraliz. c/ácido muriático          | m <sup>2</sup> | 6,3696 | 6,3696 | 5,8696 | 6,4565 | 6,6413 | 6,4565 | 6,9348 | 6,7500 | 7,0000 | 7,0217 | 7,0217 | 7,0217 |
| 1121        | Demolición de revest. de azulejos             | m <sup>2</sup> | 6,3468 | 6,3468 | 5,8555 | 6,4393 | 6,6185 | 6,4393 | 6,9133 | 6,7341 | 6,9769 | 7,0000 | 7,0000 | 7,0000 |
| 1122        | Demolición antepecho granito reconstr.        | m <sup>2</sup> | 6,3652 | 6,3652 | 5,8739 | 6,4565 | 6,6391 | 6,4565 | 6,9348 | 6,7522 | 6,9957 | 7,0174 | 7,0174 | 7,0174 |
| 1123        | Demolición cerco alamb. hasta 1.6m de h.      | ml             | 6,5000 | 6,5000 | 6,0000 | 6,6111 | 6,7778 | 6,6111 | 7,1111 | 6,8889 | 7,1667 | 7,1667 | 7,1667 | 7,1667 |
| 1124        | Demolición escalera de H°A°                   | m <sup>3</sup> | 6,3652 | 6,3652 | 5,8739 | 6,4565 | 6,6391 | 6,4565 | 6,9348 | 6,7522 | 6,9957 | 7,0174 | 7,0174 | 7,0174 |
| 1125        | Demolición columnas H°A°incl.apuntal.         | m <sup>3</sup> | 6,3652 | 6,3652 | 5,8739 | 6,4565 | 6,6391 | 6,4565 | 6,9348 | 6,7522 | 6,9957 | 7,0174 | 7,0174 | 7,0174 |
| 1126        | Demolición vigas H°A°incl. apuntalam.         | m <sup>3</sup> | 6,3652 | 6,3652 | 5,8739 | 6,4565 | 6,6391 | 6,4565 | 6,9348 | 6,7522 | 6,9957 | 7,0174 | 7,0174 | 7,0174 |
| 1127        | Demolición losas H°A°incl. apuntalam.         | m <sup>3</sup> | 6,3652 | 6,3652 | 5,8739 | 6,4565 | 6,6391 | 6,4565 | 6,9348 | 6,7522 | 6,9957 | 7,0174 | 7,0174 | 7,0174 |
| 1128        | Demolición losa cerámica incl. apuntal.       | m <sup>2</sup> | 6,3652 | 6,3652 | 5,8739 | 6,4565 | 6,6391 | 6,4565 | 6,9348 | 6,7522 | 6,9957 | 7,0174 | 7,0174 | 7,0174 |
| 1129        | Demolición mesada H°A°                        | m <sup>3</sup> | 6,3652 | 6,3652 | 5,8739 | 6,4565 | 6,6391 | 6,4565 | 6,9348 | 6,7522 | 6,9957 | 7,0174 | 7,0174 | 7,0174 |
| 1130        | Demolición cerco placas H°A°y pilares         | m <sup>2</sup> | 6,3669 | 6,3669 | 5,8757 | 6,4586 | 6,6420 | 6,4586 | 6,9379 | 6,7544 | 6,9970 | 7,0207 | 7,0207 | 7,0207 |
| 1131        | Demolición cimient mamp.lad.comunes           | m <sup>3</sup> | 6,3652 | 6,3652 | 5,8739 | 6,4565 | 6,6391 | 6,4565 | 6,9348 | 6,7522 | 6,9957 | 7,0174 | 7,0174 | 7,0174 |
| 1132        | Demolición zapata y base de H°s/armar         | m <sup>3</sup> | 6,3652 | 6,3652 | 5,8744 | 6,4570 | 6,6396 | 6,4570 | 6,9353 | 6,7527 | 6,9961 | 7,0174 | 7,0174 | 7,0174 |
| 1133        | Demolición zapata y base de H°A°              | m <sup>3</sup> | 6,3652 | 6,3652 | 5,8739 | 6,4565 | 6,6391 | 6,4565 | 6,9348 | 6,7522 | 6,9957 | 7,0174 | 7,0174 | 7,0174 |
| 1134        | Demolición cielorraso metal desple.           | m <sup>2</sup> | 6,3652 | 6,3652 | 5,8783 | 6,4609 | 6,6435 | 6,4609 | 6,9391 | 6,7565 | 7,0000 | 7,0174 | 7,0174 | 7,0174 |
| 1135        | Demolición piso de lajas Mercedes             | m <sup>2</sup> | 6,3696 | 6,3696 | 5,8696 | 6,4565 | 6,6413 | 6,4565 | 6,9348 | 6,7500 | 7,0000 | 7,0217 | 7,0217 | 7,0217 |
| 1136        | Demolición piso madera Parquet o similar      | m <sup>2</sup> | 6,3623 | 6,3623 | 5,8696 | 6,4638 | 6,6377 | 6,4638 | 6,9420 | 6,7536 | 7,0000 | 7,0145 | 7,0145 | 7,0145 |
| 1137        | Demolición contrapiso Hormigón pobre          | m <sup>2</sup> | 6,3652 | 6,3652 | 5,8783 | 6,4609 | 6,6435 | 6,4609 | 6,9391 | 6,7565 | 7,0000 | 7,0174 | 7,0174 | 7,0174 |
| 1138        | Demolición escalones de mármol en esc.        | m <sup>2</sup> | 6,3665 | 6,3665 | 5,8758 | 6,4596 | 6,6398 | 6,4596 | 6,9379 | 6,7516 | 6,9938 | 7,0186 | 7,0186 | 7,0186 |
| 1139        | Demolición zócalos calcáreos,granít.o simil.. | ml             | 6,3696 | 6,3696 | 5,8696 | 6,4565 | 6,6304 | 6,4565 | 6,9348 | 6,7609 | 7,0000 | 7,0217 | 7,0217 | 7,0217 |
| 1140        | Demolición zócalos y guardacantos madera      | ml             | 6,3478 | 6,3478 | 5,8696 | 6,4783 | 6,6522 | 6,4783 | 6,9565 | 6,7391 | 7,0000 | 7,0000 | 7,0000 | 7,0000 |
| 1141        | Demolición mesada c/pileta y accesorios       | c/un           | 6,3652 | 6,3652 | 5,8739 | 6,4565 | 6,6391 | 6,4565 | 6,9348 | 6,7522 | 6,9957 | 7,0174 | 7,0174 | 7,0174 |
| 1142        | Retiro artefactos sanitarios                  | c/un           | 6,3652 | 6,3652 | 5,8739 | 6,4565 | 6,6391 | 6,4565 | 6,9348 | 6,7522 | 6,9957 | 7,0174 | 7,0174 | 7,0174 |
| 1143        | Retiro de cabriadas                           | c/un           | 6,4655 | 6,4655 | 5,9834 | 6,5766 | 6,7564 | 6,5766 | 7,0572 | 6,8784 | 7,1178 | 7,1485 | 7,1485 | 7,1485 |
| 1144        | Demolición cielorraso de madera               | m <sup>2</sup> | 6,3659 | 6,3659 | 5,8732 | 6,4565 | 6,6377 | 6,4565 | 6,9348 | 6,7536 | 6,9964 | 7,0181 | 7,0181 | 7,0181 |



| Cod.        | Trabajo ( Items.)   | unid.          | Ene-08 | Feb-08 | Mar-08 | Abr-08 | May-08 | Jun-08 | Jul-08 | Ago-08 | Sep-08 | Oct-08 | Nov-08 | Dic-08 |
|-------------|---|----------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 1145        | Demolición cielorraso metálico                                | m <sup>2</sup> | 6.3468 | 6.3468 | 5.8555 | 6.4393 | 6.6185 | 6.4393 | 6.9133 | 6.7341 | 6.9769 | 7.0000 | 7.0000 | 7.0000 |
| 1146        | Retiro de zinguería-limatones                                 | ml             | 6.4390 | 6.4390 | 5.9268 | 6.5122 | 6.7073 | 6.5122 | 7.0000 | 6.8293 | 7.0732 | 7.0976 | 7.0976 | 7.0976 |
| 1147        | Retiro de canaletas y bajadas de H°G°                         | ml             | 6.2857 | 6.2857 | 5.7857 | 6.3571 | 6.5357 | 6.3571 | 6.8214 | 6.6429 | 6.8929 | 6.9286 | 6.9286 | 6.9286 |
| 1148        | Extracción de arboles a mano con hacha y machetes             | un             | 6.3652 | 6.3652 | 5.8739 | 6.4565 | 6.6391 | 6.4565 | 6.9348 | 6.7522 | 6.9957 | 7.0174 | 7.0174 | 7.0174 |
| 1149        | Desmalezamiento de cubierta revestida con cerámica            | gl             | 5.4982 | 5.5760 | 5.3251 | 5.6855 | 5.7880 | 5.7067 | 5.9788 | 5.9117 | 6.0495 | 6.0848 | 6.0954 | 6.1060 |
| 1150        | Limp. desobs. Caños de desag. , fijación, limp. de cámara     | un             | 6.3652 | 6.3652 | 5.8739 | 6.4565 | 6.6391 | 6.4565 | 6.9348 | 6.7522 | 6.9957 | 7.0174 | 7.0174 | 7.0174 |
| 1151        | Limp. de paramentos C/hidrolavadora                           | m <sup>2</sup> | 6.3652 | 6.3652 | 5.8783 | 6.4609 | 6.6435 | 6.4609 | 6.9391 | 6.7565 | 7.0000 | 7.0174 | 7.0174 | 7.0174 |
| 1152        | Retiro de vidrios   | m <sup>2</sup> | 6.3623 | 6.3623 | 5.8696 | 6.4638 | 6.6377 | 6.4638 | 6.9420 | 6.7536 | 7.0000 | 7.0145 | 7.0145 | 7.0145 |
| 1153        | Limp. desobs. Caños de desag.                                 | ml             | 6.3103 | 6.3103 | 5.8276 | 6.3966 | 6.5862 | 6.3966 | 6.8793 | 6.6897 | 6.9310 | 6.9655 | 6.9655 | 6.9655 |
| 1155        | Retiro de columna de madera                                   | gl             | 6.3655 | 6.3655 | 5.8744 | 6.4573 | 6.6393 | 6.4573 | 6.9356 | 6.7520 | 6.9952 | 7.0177 | 7.0177 | 7.0177 |
| 1156        | Limpieza de aberturas c/ removedor                            | m <sup>2</sup> | 6.2989 | 6.4728 | 6.2880 | 6.5163 | 6.5924 | 6.6033 | 6.7826 | 6.7120 | 6.8043 | 6.8098 | 6.8152 | 6.8207 |
| 1157        | Rasqueteo de aberturas  | m <sup>2</sup> | 6.0351 | 6.0702 | 5.6667 | 6.1579 | 6.2982 | 6.1579 | 6.5439 | 6.4035 | 6.5965 | 6.6140 | 6.6140 | 6.6140 |
| 1159        | Retiro de membrana y carpeta de nivelación                    | m <sup>2</sup> | 6.3103 | 6.3103 | 5.8276 | 6.3966 | 6.5862 | 6.3966 | 6.8793 | 6.6897 | 6.9310 | 6.9655 | 6.9655 | 6.9655 |
| 1163        | Recolocación de adoquines                                     | m <sup>2</sup> | 6.5851 | 6.5851 | 6.1141 | 6.7199 | 6.8963 | 6.7199 | 7.2033 | 7.0290 | 7.2635 | 7.3050 | 7.3050 | 7.3050 |
| 1164        | Corte de árboles con motosierra y transporte                  | un             | 5.8569 | 5.8955 | 5.6001 | 5.9580 | 5.8867 | 5.8151 | 6.0735 | 6.1053 | 6.2513 | 6.3146 | 6.3771 | 6.3940 |
| 1166        | Demolición Cerco, tejido, placas H°A°y pilar intermedio       | m <sup>2</sup> | 6.3652 | 6.3652 | 5.8783 | 6.4609 | 6.6435 | 6.4609 | 6.9391 | 6.7565 | 7.0000 | 7.0174 | 7.0174 | 7.0174 |
| 1167        | Retiro de cableado en inst. electr. comp. Etc. En desuso      | m <sup>2</sup> | 6.6042 | 6.6042 | 6.1458 | 6.7500 | 6.9375 | 6.7500 | 7.2500 | 7.0625 | 7.2917 | 7.3333 | 7.3333 | 7.3333 |
| 1168        | Demolicion y retiro baranda H°G°                              | ml             | 6.3103 | 6.3103 | 5.8276 | 6.3966 | 6.5862 | 6.3966 | 6.8793 | 6.6897 | 6.9310 | 6.9655 | 6.9655 | 6.9655 |
| 1169        | Limpieza y desobstrucción de canaletas de H°G°                | ml             | 6.3478 | 6.3478 | 5.8696 | 6.4783 | 6.6522 | 6.4783 | 6.9565 | 6.7391 | 7.0000 | 7.0000 | 7.0000 | 7.0000 |
| 1170        | Limpieza y desobstrucción de caños de bajada pluvial          | ml             | 6.3623 | 6.3623 | 5.8696 | 6.4638 | 6.6377 | 6.4638 | 6.9420 | 6.7536 | 7.0000 | 7.0145 | 7.0145 | 7.0145 |
| 1171        | Retiro de rejas de cerco perimetral - H = 1.80m               | ml             | 6.3623 | 6.3623 | 5.8696 | 6.4638 | 6.6377 | 6.4638 | 6.9420 | 6.7536 | 7.0000 | 7.0145 | 7.0145 | 7.0145 |
| 1172        | Demolición cordón de ladrillos                                | ml             | 6.4390 | 6.4390 | 5.9268 | 6.5122 | 6.7073 | 6.5122 | 7.0000 | 6.8293 | 7.0732 | 7.0976 | 7.0976 | 7.0976 |
| 1174        | Fumigación  | m <sup>2</sup> | 6.8571 | 6.8571 | 6.2857 | 6.8571 | 7.1429 | 6.8571 | 7.4286 | 7.2857 | 7.4286 | 7.5714 | 7.5714 | 7.5714 |
| 1175        | Demolición cielorraso de placas                               | m <sup>2</sup> | 6.3103 | 6.3103 | 5.8276 | 6.3966 | 6.5862 | 6.3966 | 6.8793 | 6.6897 | 6.9310 | 6.9655 | 6.9655 | 6.9655 |
| 1176        | Demolición cielorraso aplicado                                | m <sup>2</sup> | 6.3623 | 6.3623 | 5.8768 | 6.4565 | 6.6377 | 6.4565 | 6.9348 | 6.7536 | 6.9928 | 7.0145 | 7.0145 | 7.0145 |
| <b>1200</b> | <b>MOVIMIENTO DE SUELOS</b>                                   |                |        |        |        |        |        |        |        |        |        |        |        |        |
| 1201        | Limp.terreno c/extrac.arboles/maleza                          | m <sup>2</sup> | 6.3665 | 6.3665 | 5.8758 | 6.4596 | 6.6398 | 6.4596 | 6.9379 | 6.7516 | 6.9938 | 7.0186 | 7.0186 | 7.0186 |
| 1202        | Desmonte y nivelación   | m <sup>3</sup> | 6.3604 | 6.3604 | 5.8704 | 6.4516 | 6.6339 | 6.4516 | 6.9302 | 6.7479 | 6.9900 | 7.0128 | 7.0128 | 7.0128 |
| 1203        | Terraplenes y nivelación c/compactación a pisón manual        | m <sup>3</sup> | 6.3596 | 6.3596 | 5.8687 | 6.4505 | 6.6323 | 6.4505 | 6.9273 | 6.7455 | 6.9879 | 7.0101 | 7.0101 | 7.0101 |
| 1204        | Sub-Base para pavimento articulado                            | m <sup>3</sup> | 4.5662 | 4.6620 | 4.5640 | 4.8719 | 5.1356 | 5.1389 | 5.3864 | 5.3854 | 5.4758 | 5.4876 | 5.4876 | 5.4876 |
| 1205        | Retiro de tierra hasta 100 m                                  | m <sup>3</sup> | 6.3652 | 6.3652 | 5.8748 | 6.4574 | 6.6400 | 6.4574 | 6.9357 | 6.7530 | 6.9965 | 7.0174 | 7.0174 | 7.0174 |
| 1206        | Carga manual s/camión   | m <sup>3</sup> | 6.3671 | 6.3671 | 5.8744 | 6.4589 | 6.6377 | 6.4589 | 6.9372 | 6.7536 | 6.9952 | 7.0193 | 7.0193 | 7.0193 |
| 1207        | Excavación de zanjas  | m <sup>3</sup> | 6.3657 | 6.3657 | 5.8734 | 6.4565 | 6.6394 | 6.4565 | 6.9348 | 6.7519 | 6.9962 | 7.0179 | 7.0179 | 7.0179 |
| 1208        | Excavación p/base   | m <sup>3</sup> | 6.3651 | 6.3651 | 5.8741 | 6.4565 | 6.6394 | 6.4565 | 6.9348 | 6.7519 | 6.9955 | 7.0172 | 7.0172 | 7.0172 |
| 1209        | Excav. p/pilotines (suelo normal)                             | m <sup>3</sup> | 6.3652 | 6.3652 | 5.8739 | 6.4565 | 6.6391 | 6.4565 | 6.9348 | 6.7522 | 6.9957 | 7.0174 | 7.0174 | 7.0174 |
| 1210        | Excavación de sótanos   | m <sup>3</sup> | 6.3658 | 6.3658 | 5.8741 | 6.4573 | 6.6387 | 6.4573 | 6.9355 | 6.7526 | 6.9955 | 7.0180 | 7.0180 | 7.0180 |
| 1211        | Excavación de pozos (8 m prof.)                               | m <sup>3</sup> | 6.3652 | 6.3652 | 5.8742 | 6.4568 | 6.6394 | 6.4568 | 6.9351 | 6.7525 | 6.9959 | 7.0174 | 7.0174 | 7.0174 |
| 1212        | Relleno de arena  | m <sup>3</sup> | 5.2560 | 5.5163 | 5.6830 | 6.1187 | 6.3889 | 6.5686 | 6.6885 | 6.6427 | 7.0349 | 7.0403 | 7.0403 | 7.0403 |
| 1213        | Relleno de cascotes de ladrillos                              | m <sup>3</sup> | 2.5387 | 2.5896 | 2.6075 | 2.7688 | 2.9127 | 3.0081 | 3.0717 | 3.0474 | 3.1439 | 3.1468 | 3.1468 | 3.1468 |
| 1214        | Compactación especial manual a máquina C/transporte de tierra | m <sup>3</sup> | 5.6203 | 5.6867 | 5.5538 | 5.7373 | 5.4304 | 5.4557 | 5.5348 | 5.7563 | 5.8196 | 5.9209 | 6.0380 | 6.0665 |
| 1217        | Cama de arena y ladrillos                                     | m <sup>2</sup> | 5.8942 | 5.9522 | 5.6041 | 6.0956 | 6.2696 | 6.1638 | 6.5392 | 6.3993 | 6.6314 | 6.6519 | 6.6587 | 6.6621 |
| <b>2100</b> | <b>HORMIGON ARMADO</b>  |                |        |        |        |        |        |        |        |        |        |        |        |        |
| 2101        | H°A° p/Zapata o base de columna de H°A°                       | m <sup>3</sup> | 5.3081 | 5.4266 | 5.2903 | 5.5610 | 5.8447 | 5.8822 | 6.0892 | 6.0478 | 6.1740 | 6.2551 | 6.2551 | 6.2551 |
| 2102        | H°A° p/Fustes para columnas no a la vista                     | m <sup>3</sup> | 5.4949 | 5.6066 | 5.4369 | 5.7250 | 5.9883 | 6.0112 | 6.2326 | 6.1778 | 6.3941 | 6.4805 | 6.4857 | 6.4908 |



| Cod.        | Trabajo ( Items.)  | unid. | Ene-08 | Feb-08 | Mar-08 | Abr-08 | May-08 | Jun-08 | Jul-08 | Ago-08 | Sep-08 | Oct-08 | Nov-08 | Dic-08 |
|-------------|--|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 2103        | HºAº p/Vigas de Fundación  | m³    | 5,6550 | 5,7450 | 5,5288 | 5,8812 | 6,1287 | 6,1158 | 6,3878 | 6,3149 | 6,5119 | 6,5854 | 6,5882 | 6,5909 |
| 2104        | HºAº p/Columnas simples no a la vista  | m³    | 5,4949 | 5,6066 | 5,4369 | 5,7250 | 5,9883 | 6,0112 | 6,2326 | 6,1778 | 6,3941 | 6,4805 | 6,4857 | 6,4908 |
| 2105        | HºAº p/Columnas simples a la vista   | m³    | 5,5095 | 5,6199 | 5,4464 | 5,7386 | 6,0008 | 6,0212 | 6,2459 | 6,1896 | 6,4062 | 6,4921 | 6,4972 | 6,5022 |
| 2106        | HºAº p/Vigas no a la vista   | m³    | 5,6582 | 5,7776 | 5,6063 | 5,8829 | 6,1600 | 6,1896 | 6,4018 | 6,3446 | 6,5620 | 6,6721 | 6,6774 | 6,6826 |
| 2107        | HºAº p/Vigas a la vista  | m³    | 5,6913 | 5,8064 | 5,6241 | 5,9126 | 6,1861 | 6,2081 | 6,4301 | 6,3687 | 6,5867 | 6,6943 | 6,6994 | 6,7044 |
| 2108        | HºAº p/Losas nervuradas simples  | m³    | 5,5739 | 5,6711 | 5,4713 | 5,7948 | 6,0342 | 6,0359 | 6,2846 | 6,2184 | 6,4732 | 6,5458 | 6,5514 | 6,5542 |
| 2109        | HºAº p/Losas simples a la vista  | m³    | 5,5543 | 5,6531 | 5,4572 | 5,7779 | 6,0205 | 6,0238 | 6,2701 | 6,2058 | 6,4722 | 6,5466 | 6,5532 | 6,5596 |
| 2110        | HºAº p/Losas simples no a la vista   | m³    | 5,4935 | 5,5974 | 5,4148 | 5,7200 | 5,9662 | 5,9785 | 6,2125 | 6,1534 | 6,4219 | 6,4972 | 6,5042 | 6,5109 |
| 2111        | HºAº p/Losas nervuradas cruzadas   | m³    | 5,6271 | 5,7248 | 5,5211 | 5,8463 | 6,0897 | 6,0904 | 6,3407 | 6,2725 | 6,5181 | 6,5962 | 6,6015 | 6,6041 |
| 2112        | Losas de viguetas pretensadas - Sobrecarga: 200 kg/m2 - Luz máxima= 4,00m - Viguetas tipo Tensolite o similar            | m²    | 5,2103 | 5,2444 | 5,0092 | 5,4107 | 5,6054 | 5,5505 | 5,8449 | 5,7467 | 5,8651 | 5,8934 | 5,9197 | 5,9243 |
| 2113        | Losas de viguetas pretensadas (Serie E) - Sobrecarga: 350 kg/m2 - Luz máxima= 7,20 m - Viguetas tipo Tensolite o similar | m²    | 5,0063 | 5,0644 | 4,8801 | 5,2058 | 5,4244 | 5,4274 | 5,6684 | 5,5964 | 5,7481 | 5,7754 | 5,7837 | 5,7689 |
| 2114        | HºAº p/Barandas a la vista   | m³    | 5,7262 | 5,8074 | 5,5636 | 5,9353 | 6,1658 | 6,1373 | 6,4262 | 6,3428 | 6,5874 | 6,6551 | 6,6607 | 6,6662 |
| 2115        | HºAº p/Tanque rectangular a la vista   | m³    | 5,7906 | 5,8738 | 5,6276 | 5,9979 | 6,2373 | 6,2095 | 6,4977 | 6,4125 | 6,6439 | 6,7202 | 6,7246 | 6,7287 |
| 2116        | HºAº p/Cordones  | ml    | 5,4964 | 5,5886 | 5,3921 | 5,7306 | 5,9703 | 5,9639 | 6,2237 | 6,1620 | 6,4082 | 6,4723 | 6,4779 | 6,4828 |
| 2117        | HºAº p/Cordon cuneta c/encofrado de madera   | ml    | 5,1026 | 5,2254 | 5,1254 | 5,3667 | 5,6119 | 5,6797 | 5,8527 | 5,8214 | 6,0442 | 6,0996 | 6,1035 | 6,1073 |
| 2118        | HºAº p/Escaleras a la vista:losa y escalones   | m³    | 5,8342 | 5,9029 | 5,6328 | 6,0427 | 6,2648 | 6,2157 | 6,5342 | 6,4403 | 6,6767 | 6,7384 | 6,7423 | 6,7461 |
| 2119        | HºAº p/Escaleras no a la vista:losa y escalon  | m³    | 5,8075 | 5,8782 | 5,6140 | 6,0145 | 6,2393 | 6,1950 | 6,5068 | 6,4157 | 6,6473 | 6,7106 | 6,7145 | 6,7182 |
| 2120        | HºAº p/Encadenado Superior   | m³    | 5,4652 | 5,5698 | 5,3958 | 5,7022 | 5,9553 | 5,9699 | 6,2041 | 6,1485 | 6,3712 | 6,4460 | 6,4508 | 6,4554 |
| 2121        | HºAº p/Pilotines - D: 0,20m  | m³    | 5,3635 | 5,5135 | 5,4200 | 5,6147 | 5,9421 | 6,0223 | 6,1709 | 6,1434 | 6,2363 | 6,3621 | 6,3621 | 6,3621 |
| 2122        | HºAº p/Dinteles  | m³    | 5,7667 | 5,8428 | 5,5903 | 5,9775 | 6,2030 | 6,1669 | 6,4668 | 6,3801 | 6,6361 | 6,7009 | 6,7059 | 6,7107 |
| 2123        | HºAº p/Platea de fundación   | m³    | 5,5712 | 5,6807 | 5,5030 | 5,8010 | 6,0798 | 6,0990 | 6,3297 | 6,2702 | 6,4047 | 6,4969 | 6,4969 | 6,4969 |
| 2124        | HºAº p/Pavimento de 12cm de espesor  | m²    | 4,5928 | 4,7148 | 4,6663 | 4,8917 | 5,1227 | 5,1961 | 5,3587 | 5,3531 | 5,4975 | 5,5224 | 5,5342 | 5,5455 |
| 2125        | HºAº p/Pavimento de 18 cm de espesor   | m²    | 4,7812 | 4,8895 | 4,7955 | 5,0611 | 5,2873 | 5,3324 | 5,5300 | 5,5082 | 5,6591 | 5,6845 | 5,6957 | 5,7069 |
| 2127        | HºAº P/Capa Compresión c/malla s/losa  | m³    | 4,3327 | 4,4620 | 4,4542 | 4,6495 | 4,8995 | 4,9956 | 5,1328 | 5,1459 | 5,2845 | 5,2937 | 5,2961 | 5,2982 |
| 2128        | HºAº P/Encadenados b/T. Natural  | m³    | 5,6153 | 5,7028 | 5,4910 | 5,8459 | 6,0956 | 6,0843 | 6,3577 | 6,2856 | 6,4435 | 6,5115 | 6,5115 | 6,5115 |
| 2129        | Hº sin armar de piedra   | m³    | 4,3254 | 4,4461 | 4,4215 | 4,6242 | 4,8766 | 4,9602 | 5,1109 | 5,1227 | 5,2534 | 5,2593 | 5,2593 | 5,2593 |
| 2130        | Columna reticulada de hierro redondo   | m     | 6,2777 | 6,3516 | 6,0386 | 6,4690 | 6,7125 | 6,6473 | 6,9821 | 6,8636 | 7,0440 | 7,1375 | 7,1402 | 7,1424 |
| 2131        | Viga reticulares rectangular de hierro redondo   | m     | 6,2002 | 6,2996 | 6,0371 | 6,3982 | 6,6765 | 6,6522 | 6,9334 | 6,8340 | 6,9842 | 7,1067 | 7,1088 | 7,1105 |
| 2132        | Viga reticulares forma T de hierro redondo   | m     | 6,2814 | 6,3519 | 6,0312 | 6,4746 | 6,7085 | 6,6366 | 6,9803 | 6,8576 | 7,0434 | 7,1288 | 7,1322 | 7,1349 |
| 2133        | Viga reticulares triangular de hierro redondo  | m     | 6,2826 | 6,3593 | 6,0509 | 6,4771 | 6,7220 | 6,6608 | 6,9914 | 6,8741 | 7,0498 | 7,1459 | 7,1487 | 7,1510 |
| 2134        | Pavimento de Hº esp.: 18 cm con equipo mediano s/malla   | m²    | 4,4921 | 4,6110 | 4,5904 | 4,7614 | 4,9070 | 5,0004 | 5,1311 | 5,2118 | 5,3114 | 5,3364 | 5,3662 | 5,3750 |
| 2136        | Escalera de hierro c/protección  | ml    | 6,2481 | 6,3323 | 6,0402 | 6,4479 | 6,6991 | 6,6495 | 6,9648 | 6,8543 | 7,0239 | 7,1250 | 7,1281 | 7,1307 |
| 2143        | Cemento de contacto para hormigón (Hºviejo/Hºnuevo)  | m²    | 4,0516 | 4,1194 | 3,9484 | 4,2189 | 4,2918 | 4,2491 | 4,4466 | 4,3810 | 4,5217 | 4,5851 | 4,6021 | 4,6190 |
| 2145        | Viga de Fundación  | m³    | 5,6049 | 5,7091 | 5,5173 | 5,8301 | 6,1327 | 6,1428 | 6,3842 | 6,3195 | 6,4943 | 6,5514 | 6,5539 | 6,5563 |
| 2146        | Contrafuerte de Hº Aº  | m³    | 5,4471 | 5,5615 | 5,3980 | 5,6756 | 5,9765 | 6,0059 | 6,2192 | 6,1664 | 6,3748 | 6,4312 | 6,4363 | 6,4412 |
| <b>3100</b> | <b>MAMPOSTERIA</b>   |       |        |        |        |        |        |        |        |        |        |        |        |        |
| 3101        | Ladrillos comunes en sub-muración  | m³    | 4,9728 | 5,0713 | 4,8951 | 5,2091 | 5,3691 | 5,3458 | 5,5884 | 5,5362 | 5,6554 | 5,6853 | 5,6990 | 5,7098 |
| 3102        | Ladrillos comunes en cimiento  | m³    | 4,8128 | 4,9310 | 4,7867 | 5,0500 | 5,1401 | 5,1292 | 5,3243 | 5,2780 | 5,3834 | 5,4171 | 5,4383 | 5,4549 |
| 3103        | Ladrillos comunes en elevación (< 10m de altura)   | m³    | 5,0557 | 5,1586 | 4,9708 | 5,2805 | 5,3831 | 5,3506 | 5,5843 | 5,5200 | 5,6441 | 5,6790 | 5,6973 | 5,7118 |
| 3104        | Ladrillos comunes en elevación (> 10m de altura)   | m³    | 5,2280 | 5,3205 | 5,1052 | 5,4468 | 5,5564 | 5,5098 | 5,7693 | 5,6945 | 5,8292 | 5,8661 | 5,8826 | 5,8955 |
| 3105        | Ladrillos comunes en panderete   | m²    | 5,3152 | 5,4016 | 5,1792 | 5,5472 | 5,6608 | 5,6064 | 5,8832 | 5,8080 | 5,9472 | 5,9856 | 5,9984 | 6,0096 |
| 3106        | Pilares Ladrillos comunes  | m³    | 5,0176 | 5,1209 | 4,9468 | 5,2523 | 5,3925 | 5,3758 | 5,6048 | 5,5213 | 5,6369 | 5,6704 | 5,6864 | 5,7054 |
| 3107        | Ladrillos comunes p/enchapados   | m²    | 4,9800 | 5,0871 | 4,9220 | 5,2250 | 5,3666 | 5,3593 | 5,5789 | 5,4755 | 5,5917 | 5,6225 | 5,6370 | 5,6606 |



| Cod.        | Trabajo ( Items.)   | unid.          | Ene-08 | Feb-08 | Mar-08 | Abr-08 | May-08 | Jun-08 | Jul-08 | Ago-08 | Sep-08 | Oct-08 | Nov-08 | Dic-08 |
|-------------|---|----------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 3108        | Ladrillos de máquinas (6x11,5x25)   | m <sup>3</sup> | 4,0016 | 4,0811 | 3,9251 | 4,1634 | 4,2626 | 4,2526 | 4,4759 | 4,4617 | 4,5537 | 4,5832 | 4,5848 | 4,5891 |
| 3109        | Ladrillos refractarios  | m <sup>3</sup> | 2,2511 | 2,3649 | 2,3700 | 2,4328 | 2,5126 | 2,5734 | 2,6430 | 2,6793 | 2,7904 | 2,8886 | 2,8990 | 2,8990 |
| 3110        | Ladrillos cerámicos en panderete (esp. 10cm)                                      | m <sup>2</sup> | 4,4937 | 4,6238 | 4,4945 | 4,6727 | 4,8312 | 4,8375 | 5,0039 | 4,9834 | 5,0528 | 5,0931 | 5,0915 | 4,9614 |
| 3111        | Bloques decorativos de hormogón   | m <sup>2</sup> | 3,9530 | 4,0550 | 3,9289 | 4,1674 | 4,5138 | 4,5195 | 4,6881 | 4,6938 | 4,7752 | 4,7901 | 4,8050 | 4,8050 |
| 3112        | Ladrillos comunes reforzado c/hierro  | m <sup>3</sup> | 4,9368 | 5,0489 | 4,8977 | 5,1737 | 5,3675 | 5,3665 | 5,5791 | 5,5355 | 5,6398 | 5,6681 | 5,6820 | 5,6929 |
| 3113        | Ladrillos comunes p/muro calado 30cm esp.   | m <sup>3</sup> | 5,4329 | 5,5112 | 5,2583 | 5,6443 | 5,7668 | 5,6998 | 5,9957 | 5,9058 | 6,0591 | 6,0947 | 6,1078 | 6,1182 |
| 3114        | Bloques de cemento 15x15x30cm   | m <sup>2</sup> | 3,9530 | 4,0550 | 3,9289 | 4,1674 | 4,5138 | 4,5195 | 4,6881 | 4,6938 | 4,7752 | 4,7901 | 4,8050 | 4,8050 |
| 3115        | Ladrillo cerámico hueco de 12x18x25   | m <sup>2</sup> | 5,4466 | 5,5951 | 5,4487 | 5,7265 | 5,9263 | 5,9338 | 6,1421 | 6,1004 | 6,2233 | 6,2682 | 6,2628 | 6,1560 |
| 3116        | Ladrillos Huecos cerámicos 0.18x0.18x0.25   | m <sup>2</sup> | 5,3985 | 5,5348 | 5,3685 | 5,6577 | 5,8584 | 5,8532 | 6,0727 | 6,0322 | 6,1596 | 6,2000 | 6,2052 | 6,0854 |
| 3117        | Ladrillos Huecos 0.08x0.18x0.25   | m <sup>2</sup> | 5,0000 | 5,1100 | 4,9224 | 5,2144 | 5,3835 | 5,3623 | 5,5952 | 5,5388 | 5,6673 | 5,7033 | 5,7024 | 5,6100 |
| 3118        | Ladrillos comunes a la vista  | m <sup>3</sup> | 5,1325 | 5,2317 | 5,0333 | 5,3550 | 5,4602 | 5,4230 | 5,6658 | 5,5969 | 5,7255 | 5,7622 | 5,7802 | 5,7943 |
| 3119        | Cordon de ladrillos comunes revocado  | m <sup>3</sup> | 4,1939 | 4,3567 | 4,3381 | 4,4824 | 4,5437 | 4,5955 | 4,6866 | 4,6878 | 4,7493 | 4,7814 | 4,8096 | 4,8320 |
| 3122        | Ladrillos comunes reforzado c/hierro c/junta enrasada                             | m <sup>3</sup> | 5,0950 | 5,1964 | 5,0144 | 5,3221 | 5,5142 | 5,4964 | 5,7350 | 5,6788 | 5,7957 | 5,8252 | 5,8378 | 5,8476 |
| 3123        | Ladrillos comunes reforzado c/malla de hierro                                     | m <sup>3</sup> | 5,0798 | 5,1741 | 4,9824 | 5,3085 | 5,4648 | 5,4346 | 5,6871 | 5,6278 | 5,7530 | 5,7867 | 5,8014 | 5,8131 |
| <b>3200</b> | <b>REVOQUES</b>   |                |        |        |        |        |        |        |        |        |        |        |        |        |
| 3201        | Revoque Exterior a la cal c/hidrofugo term. al fieltro                            | m <sup>2</sup> | 6,1406 | 6,1776 | 5,8295 | 6,3608 | 6,5511 | 6,4418 | 6,8466 | 6,6875 | 6,8906 | 6,9290 | 6,9332 | 6,9403 |
| 3202        | Revoque Interior a la cal completo term al fieltro                                | m <sup>2</sup> | 6,0846 | 6,1308 | 5,8103 | 6,3282 | 6,5231 | 6,4282 | 6,8179 | 6,6385 | 6,8385 | 6,8744 | 6,8744 | 6,8872 |
| 3203        | Revoque de Cem.alis.c/hidrof.   | m <sup>2</sup> | 5,5628 | 5,6171 | 5,3568 | 5,8060 | 6,0171 | 5,9467 | 6,2945 | 6,2171 | 6,3769 | 6,4141 | 6,4251 | 6,4251 |
| 3204        | Azotado c/hidrof.y jaharro Bajo revest.   | m <sup>2</sup> | 5,4620 | 5,5353 | 5,3234 | 5,7527 | 5,9755 | 5,9375 | 6,2527 | 6,1413 | 6,3071 | 6,3370 | 6,3451 | 6,3533 |
| 3205        | Revoque term. al yeso s/metal desplegado  | m <sup>2</sup> | 5,8117 | 5,8849 | 5,6540 | 6,1007 | 6,2781 | 6,2309 | 6,5423 | 6,4312 | 6,8532 | 6,8993 | 6,9303 | 6,9505 |
| 3206        | Reposición placa de yeso  | m <sup>2</sup> | 5,9403 | 5,9957 | 5,7058 | 6,2068 | 6,3945 | 6,3113 | 6,6844 | 6,5330 | 6,7399 | 6,7719 | 6,8209 | 6,8294 |
| 3207        | Cemento alisado p/pizarrones  | m <sup>2</sup> | 5,8599 | 5,9008 | 5,6031 | 6,0739 | 6,2724 | 6,1965 | 6,5564 | 6,4086 | 6,5914 | 6,6479 | 6,6537 | 6,6634 |
| 3208        | Revoque refractario   | m <sup>2</sup> | 3,8802 | 3,9708 | 3,8364 | 4,0867 | 4,2463 | 4,2541 | 4,4645 | 4,4421 | 4,6319 | 4,7283 | 4,7459 | 4,7459 |
| 3209        | Revoque a la bolsa  | m <sup>2</sup> | 5,6831 | 5,7432 | 5,4918 | 5,9508 | 6,1585 | 6,0984 | 6,4372 | 6,2951 | 6,4645 | 6,4918 | 6,4918 | 6,5082 |
| 3210        | Buña  | ml             | 6,7937 | 6,7937 | 6,3333 | 6,9683 | 7,1270 | 6,9683 | 7,4444 | 7,2857 | 7,5079 | 7,5714 | 7,5714 | 7,5714 |
| 3211        | Tomado de junta   | m <sup>2</sup> | 6,5905 | 6,5962 | 6,1581 | 6,7562 | 6,9333 | 6,7695 | 7,2438 | 7,0838 | 7,3067 | 7,3562 | 7,3562 | 7,3562 |
| 3212        | Rev. comun salpicado s/metal desplegado   | m <sup>2</sup> | 6,0687 | 6,1251 | 5,8687 | 6,3841 | 6,5930 | 6,5137 | 6,8714 | 6,7498 | 6,9366 | 7,0079 | 7,0203 | 7,0317 |
| 3213        | Carpeta de asentamiento (esp. 2 cm)   | m <sup>2</sup> | 5,4867 | 5,5546 | 5,3304 | 5,7699 | 6,0000 | 5,9410 | 6,2773 | 6,2094 | 6,3717 | 6,4041 | 6,4041 | 6,4041 |
| 3214        | Azotado c/hidrófugo.  | m <sup>2</sup> | 5,6484 | 5,7109 | 5,4453 | 5,9063 | 6,1094 | 6,0391 | 6,3906 | 6,2969 | 6,4766 | 6,5078 | 6,5313 | 6,5313 |
| 3215        | Jaharro - M: 1/4:1:3  | m <sup>2</sup> | 5,9055 | 5,9552 | 5,6667 | 6,1493 | 6,3582 | 6,2736 | 6,6418 | 6,4577 | 6,6418 | 6,6766 | 6,6766 | 6,6915 |
| 3216        | Revoque interior completo term. al yeso   | m <sup>2</sup> | 5,8837 | 5,9485 | 5,6756 | 6,1633 | 6,3602 | 6,2819 | 6,6488 | 6,4989 | 6,7114 | 6,7427 | 6,7919 | 6,7987 |
| 3217        | Completo a Maquina  | m <sup>2</sup> | 5,7696 | 5,8253 | 5,5468 | 6,0278 | 6,2380 | 6,1595 | 6,5241 | 6,4051 | 6,5924 | 6,6228 | 6,6228 | 6,6278 |
| 3218        | Enlucido Iggam Salpicado  | m <sup>2</sup> | 4,8075 | 4,8870 | 4,7155 | 5,0418 | 5,2050 | 5,1757 | 5,4644 | 5,4226 | 5,5272 | 5,5481 | 5,6151 | 5,6820 |
| 3219        | Enlucido Iggam Peinado  | m <sup>2</sup> | 5,3636 | 5,4211 | 5,1651 | 5,5789 | 5,7440 | 5,6746 | 6,0215 | 5,9378 | 6,0813 | 6,1100 | 6,1579 | 6,2057 |
| 3220        | Enlucido Salpicrete   | m <sup>2</sup> | 4,8075 | 4,8870 | 4,7155 | 5,0418 | 5,2050 | 5,1757 | 5,4644 | 5,4226 | 5,5272 | 5,5481 | 5,6151 | 5,6820 |
| 3221        | Enlucido a la cal (M: 1/8:1:3)  | m <sup>2</sup> | 6,3318 | 6,3498 | 5,9596 | 6,5112 | 6,6951 | 6,5695 | 6,9955 | 6,8251 | 7,0404 | 7,0987 | 7,0987 | 7,1031 |
| 3222        | Enlucido c/mezcla preelaborada con tratamiento                                    | m <sup>2</sup> | 6,3003 | 6,3174 | 5,9181 | 6,4744 | 6,6451 | 6,5085 | 6,9488 | 6,8055 | 7,0102 | 7,0512 | 7,0512 | 7,0512 |
| 3225        | Reparac. de fisuras en mampostería  | m <sup>2</sup> | 6,3027 | 6,3237 | 5,9117 | 6,4671 | 6,6582 | 6,5170 | 6,9544 | 6,7857 | 7,0051 | 7,0434 | 7,0434 | 7,0471 |
| <b>3300</b> | <b>CIELORRASOS</b>  |                |        |        |        |        |        |        |        |        |        |        |        |        |
| 3301        | Cielorraso de yeso aplicado b/losa  | m <sup>2</sup> | 6,1269 | 6,1658 | 5,8135 | 6,3368 | 6,5155 | 6,4016 | 6,8109 | 6,6554 | 6,8679 | 6,9041 | 6,9560 | 6,9611 |
| 3302        | Aplicado b/losa completo ter. a la Cal  | m <sup>2</sup> | 4,9708 | 5,0646 | 4,9391 | 5,2948 | 5,5335 | 5,5347 | 5,7954 | 5,7040 | 5,8136 | 5,8331 | 5,8331 | 5,8490 |
| 3303        | Enlucido a la Cal b/losa sin engrasado  | m <sup>2</sup> | 6,0000 | 6,0395 | 5,7175 | 6,2090 | 6,4011 | 6,3164 | 6,6893 | 6,5056 | 6,6977 | 6,7514 | 6,7514 | 6,7684 |
| 3304        | Cielorraso de madera machimbr. b/entram. de mad. C/aisl de poliestireno expandido | m <sup>2</sup> | 4,8275 | 4,9295 | 4,8222 | 5,0915 | 5,2230 | 5,2625 | 5,4319 | 5,3966 | 5,7649 | 5,8022 | 5,8553 | 5,9090 |
| 3305        | A la cal s/metal desplegado term. al fieltro                                      | m <sup>2</sup> | 6,1169 | 6,1886 | 5,9452 | 6,4355 | 6,6120 | 6,5572 | 6,8916 | 6,7711 | 7,1639 | 7,2114 | 7,2741 | 7,2861 |



| Cod.        | Trabajo ( Items.)  | unid.          | Ene-08 | Feb-08 | Mar-08 | Abr-08 | May-08 | Jun-08 | Jul-08 | Ago-08 | Sep-08 | Oct-08 | Nov-08 | Dic-08 |
|-------------|--|----------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 3306        | De chapadur s/entram. de mad.  | m <sup>2</sup> | 5,1584 | 5,2380 | 5,0706 | 5,4163 | 5,5610 | 5,5583 | 5,7888 | 5,7243 | 5,9849 | 6,0350 | 6,0768 | 6,1118 |
| 3307        | Cielorraso al yeso b/metal despl. c/estruct. de madera s/aislacion                     | m <sup>2</sup> | 6,0812 | 6,1546 | 5,9116 | 6,3883 | 6,5632 | 6,5102 | 6,8441 | 6,7413 | 7,1559 | 7,1997 | 7,2823 | 7,2881 |
| 3308        | Tipo Phonex  | m <sup>2</sup> | 3,2178 | 3,2904 | 3,2309 | 3,3975 | 3,4978 | 3,5240 | 3,6917 | 3,7259 | 3,8279 | 3,9246 | 3,9284 | 3,9326 |
| 3309        | De placa de yeso DurloK junta cerrada  | m <sup>2</sup> | 4,1521 | 4,2839 | 4,3095 | 4,4748 | 4,6144 | 4,7075 | 4,7851 | 4,7952 | 4,8805 | 5,0334 | 5,0365 | 5,0403 |
| 3310        | A la cal reforzado con malla t/Sima term. al fieltro                                   | m <sup>2</sup> | 5,9479 | 6,0022 | 5,7141 | 6,1613 | 6,3453 | 6,2845 | 6,6254 | 6,5000 | 6,6906 | 6,7691 | 6,7808 | 6,7962 |
| 3311        | Cielorraso de madera machimbrada s/entram. de mad. S/aislacion                         | m <sup>2</sup> | 5,3549 | 5,4551 | 5,2803 | 5,5785 | 5,7111 | 5,7315 | 5,9439 | 5,8958 | 6,3575 | 6,3780 | 6,4446 | 6,5112 |
| 3312        | Cielorraso de placa de yeso c/estr. de Al. c/aislacion de poliestireno expandido       | m <sup>2</sup> | 3,2178 | 3,2904 | 3,2309 | 3,3975 | 3,4978 | 3,5240 | 3,6917 | 3,7259 | 3,8279 | 3,9246 | 3,9284 | 3,9326 |
| 3314        | Cielorraso a la cal s/metal desplegado term. al fieltro C/aislacc de lana de vidrio    | m <sup>2</sup> | 6,1013 | 6,1732 | 5,9311 | 6,4188 | 6,5950 | 6,5410 | 6,8736 | 6,7537 | 7,1450 | 7,1929 | 7,2558 | 7,2678 |
| 3315        | Cielorraso de madera machimbrada s/entram. de mad. S/aislacion                         | m <sup>2</sup> | 5,5701 | 5,6989 | 5,5668 | 5,8254 | 5,9596 | 6,0207 | 6,1969 | 6,1686 | 6,6028 | 6,6197 | 6,6656 | 6,6618 |
| 3316        | De madera machimbrada s/entram. de mad. C/lana de vidrio 3mm c/papel                   | m <sup>2</sup> | 5,3423 | 5,4426 | 5,2689 | 5,5652 | 5,6977 | 5,7187 | 5,9298 | 5,8820 | 6,3416 | 6,3626 | 6,4295 | 6,4957 |
| 3317        | Goteron en cieloraso aplicado b/losa   | ml             | 6,5851 | 6,5851 | 6,1141 | 6,7199 | 6,8963 | 6,7199 | 7,2033 | 7,0290 | 7,2635 | 7,3050 | 7,3050 | 7,3050 |
| 3318        | Cielorraso de placa de yeso t/Paris C/Estr. de perfiles y Aislac. de Poliet. 2"        | m <sup>2</sup> | 3,7852 | 3,9366 | 4,0371 | 4,1368 | 4,2720 | 4,4042 | 4,4212 | 4,4590 | 4,5216 | 4,6917 | 4,6947 | 4,6994 |
| 3319        | Cielorraso de tabilllas de PVC c/aisl de Poliestireno expandido 50 mm                  | m <sup>2</sup> |        |        |        |        |        |        |        |        |        |        |        |        |
| <b>3400</b> | <b>CAPAS AISLADORAS</b>  | m <sup>2</sup> |        |        |        |        |        |        |        |        |        |        |        |        |
| 3401        | Capa aisladora horiz. y vert. de concreto 2cm  | m <sup>2</sup> | 4,7920 | 4,8978 | 4,7993 | 5,1314 | 5,3759 | 5,3869 | 5,6387 | 5,6277 | 5,7445 | 5,7664 | 5,7810 | 5,7810 |
| 3402        | Capa aisladora horizontal asfáltica de 1,5cm de esp.                                   | m <sup>2</sup> | 3,3993 | 3,5244 | 3,5054 | 3,5306 | 3,6157 | 3,7065 | 3,7561 | 3,8003 | 3,8185 | 3,9240 | 4,1319 | 4,3412 |
| 3403        | Capa aisladora vertical asfáltica incluido panderete                                   | m <sup>2</sup> | 4,6374 | 4,7349 | 4,5769 | 4,8010 | 4,9095 | 4,9081 | 5,0967 | 5,0668 | 5,1837 | 5,2540 | 5,3786 | 5,5017 |
| 3404        | Capa aisladora horiz. en piso sub-suelo de concreto con SIKA -1 y Sellador impermeable | m <sup>2</sup> | 3,9793 | 4,0739 | 3,9929 | 4,2515 | 4,3474 | 4,3402 | 4,5023 | 4,4653 | 4,5956 | 4,6649 | 4,6876 | 4,7058 |
| 3405        | Capa aisladora horizontal de piso concreto con SIKA -1 y Sellador imperm.              | m <sup>2</sup> | 4,4390 | 4,5249 | 4,3868 | 4,6882 | 4,7935 | 4,7651 | 4,9715 | 4,9165 | 5,0527 | 5,1163 | 5,1334 | 5,1495 |
| 3406        | Aislacion c/doblado de ladrillos comunes   | m <sup>2</sup> | 5,1121 | 5,1884 | 5,0152 | 5,3958 | 5,5716 | 5,5411 | 5,8008 | 5,7142 | 5,8421 | 5,9009 | 5,9075 | 5,9341 |
| 3407        | Membrana de P.V.C. Sika normal   | m <sup>2</sup> | 3,8781 | 3,9754 | 3,9239 | 4,1633 | 4,2617 | 4,2707 | 4,4016 | 4,3647 | 4,4306 | 4,5157 | 4,5324 | 4,5671 |
| 3408        | Aislacion p/losas c/Membrana de P.V.C. SIKA NORMAL                                     | m <sup>2</sup> | 3,8781 | 3,9754 | 3,9239 | 4,1633 | 4,2617 | 4,2707 | 4,4016 | 4,3647 | 4,4306 | 4,5157 | 4,5324 | 4,5671 |
| 3409        | Aislacion p/losas Tipo IMPERMUR Aluminio   | m <sup>2</sup> | 4,2745 | 4,3697 | 4,4734 | 4,8796 | 5,0756 | 5,1176 | 5,2549 | 5,2185 | 5,2717 | 5,3782 | 5,3782 | 5,4426 |
| 3410        | Aislacion p/losas Tipo IMPERMUR Normal   | m <sup>2</sup> | 4,2130 | 4,3018 | 4,2781 | 4,5740 | 4,7544 | 4,7811 | 4,9260 | 4,8846 | 4,9408 | 5,0355 | 5,0355 | 5,0917 |
| 3411        | Techado asf. en frio b/piso 9 capas  | m <sup>2</sup> | 4,3294 | 4,4188 | 4,2671 | 4,4624 | 4,5682 | 4,5812 | 4,7565 | 4,7318 | 4,8153 | 4,8965 | 5,0247 | 5,1541 |
| 3412        | Techado asf. en frio b/piso 7 capas  | m <sup>2</sup> | 4,2949 | 4,3856 | 4,2396 | 4,4316 | 4,5361 | 4,5545 | 4,7235 | 4,7020 | 4,7834 | 4,8618 | 4,9923 | 5,1229 |
| 3413        | Tipo IMPERMUR Aluminio antiterm. 5mm   | m <sup>2</sup> | 3,8466 | 3,9448 | 3,9138 | 4,1345 | 4,2931 | 4,3448 | 4,4586 | 4,4276 | 4,5569 | 4,6414 | 4,6793 | 4,7172 |
| 3414        | Restitucion de capa aisladora horizontal   | m              | 6,5145 | 6,5217 | 6,0580 | 6,6522 | 6,8261 | 6,6594 | 7,1377 | 6,9638 | 7,1957 | 7,2319 | 7,2464 | 7,2464 |
| 3415        | Aislacion Térmica de Lana de Vidrio c/papael Kraft                                     | m <sup>2</sup> | 6,3143 | 6,3238 | 5,8952 | 6,4571 | 6,6095 | 6,4667 | 6,9048 | 6,7524 | 6,9714 | 7,0190 | 7,0286 | 7,0286 |
| 3416        | Techado asf. en frio b/piso 5 capas  | m <sup>2</sup> | 4,1811 | 4,2773 | 4,1719 | 4,3549 | 4,4787 | 4,5213 | 4,6617 | 4,6377 | 4,7375 | 4,8226 | 4,9187 | 5,0166 |
| 3417        | Aplicacion de sellador junta de 25mm   | ml             | 2,7702 | 2,8952 | 2,9577 | 3,0680 | 3,0901 | 3,1397 | 3,1599 | 3,1618 | 3,2592 | 3,3474 | 3,3787 | 3,4081 |
| 3418        | Aplicacion de sellador junta c/esp. de poliuretano                                     | ml             | 2,8398 | 2,9613 | 3,0141 | 3,1338 | 3,1602 | 3,2060 | 3,2342 | 3,2359 | 3,3327 | 3,4208 | 3,4507 | 3,4789 |
| 3419        | Capa aisladora horizontal asfáltica de 2,5cm de esp.                                   | ml             | 6,9375 | 6,9792 | 6,5729 | 7,1302 | 7,3021 | 7,1563 | 7,5833 | 7,4375 | 7,8021 | 7,8385 | 7,9375 | 8,0313 |
| 3420        | Babeta Aluminio antiterm. 4mm  | ml             | 5,4583 | 5,5000 | 5,2407 | 5,7037 | 5,8750 | 5,8009 | 6,1250 | 6,0139 | 6,1620 | 6,2269 | 6,2269 | 6,2500 |
| <b>3500</b> | <b>PISOS</b>   |                |        |        |        |        |        |        |        |        |        |        |        |        |
| 3501        | Losetas de Hormigon 40x40  | m <sup>2</sup> | 3,7016 | 3,7912 | 3,6973 | 3,9134 | 4,0169 | 4,0309 | 4,1901 | 4,1271 | 4,2494 | 4,3148 | 4,3184 | 4,3257 |
| 3502        | Mosaicos graníticos 30x30. M:1/2:1:3:1   | m <sup>2</sup> | 3,3699 | 3,4648 | 3,3960 | 3,5693 | 3,6625 | 3,7074 | 3,8278 | 3,7943 | 3,8506 | 3,9153 | 3,9176 | 3,9216 |
| 3503        | Mosaicos graníticos calib. 30x30   | m <sup>2</sup> | 3,0915 | 3,1948 | 3,1435 | 3,2620 | 3,3137 | 3,3750 | 3,4656 | 3,4497 | 3,4903 | 3,5590 | 3,5614 | 3,5642 |
| 3504        | Mosaicos Granítico 15x15   | m <sup>2</sup> | 3,3857 | 3,4832 | 3,4199 | 3,5906 | 3,6808 | 3,7300 | 3,8525 | 3,8256 | 3,8798 | 3,9495 | 3,9513 | 3,9545 |
| 3505        | Mosaicos Calcáreos 20x20   | m <sup>2</sup> | 4,3439 | 4,4474 | 4,3324 | 4,5897 | 4,7144 | 4,7286 | 4,9160 | 4,8532 | 4,9408 | 5,0027 | 5,0044 | 5,0106 |
| 3506        | Mosaicos Calcáreos 20x20 p/veredas   | m <sup>2</sup> | 4,3431 | 4,4456 | 4,3316 | 4,5889 | 4,7312 | 4,7462 | 4,9328 | 4,8709 | 4,9584 | 5,0212 | 5,0230 | 5,0292 |
| 3507        | Piso de cemento alisado M: 1: 3  | m <sup>2</sup> | 5,1293 | 5,2148 | 5,0531 | 5,4365 | 5,6721 | 5,6490 | 5,9423 | 5,9007 | 6,0393 | 6,0647 | 6,0739 | 6,0739 |



| Cod.        | Trabajo ( Items.)   | unid.          | Ene-08 | Feb-08 | Mar-08 | Abr-08 | May-08 | Jun-08 | Jul-08 | Ago-08 | Sep-08 | Oct-08 | Nov-08 | Dic-08 |
|-------------|---|----------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 3508        | Piso de cemento rodillado                                       | m <sup>2</sup> | 5,4247 | 5,4948 | 5,2763 | 5,7093 | 5,9381 | 5,8866 | 6,2165 | 6,1505 | 6,3093 | 6,3361 | 6,3361 | 6,3361 |
| 3509        | Losetas de Hormigon 60x40 y 4,2cm                               | m <sup>2</sup> | 3,5286 | 3,6274 | 3,5525 | 3,7257 | 3,8907 | 3,9222 | 4,1031 | 4,0525 | 4,1684 | 4,2400 | 4,2443 | 4,2514 |
| 3510        | Lajas Mercedes 30x30 c/junta tomada s/manto de arena            | m <sup>2</sup> | 4,7800 | 4,8687 | 4,6807 | 4,9813 | 5,1377 | 5,1185 | 5,3625 | 5,3027 | 5,4447 | 5,4645 | 5,4682 | 5,4730 |
| 3511        | Pulido a Piedra Fina  | m <sup>2</sup> | 6,7802 | 6,7802 | 6,3276 | 6,9569 | 7,1250 | 6,9569 | 7,4440 | 7,2759 | 7,5043 | 7,5603 | 7,5603 | 7,5603 |
| 3512        | Lustre de piso granitico a plomo                                | m <sup>2</sup> | 6,7833 | 6,7833 | 6,3300 | 6,9567 | 7,1267 | 6,9567 | 7,4467 | 7,2800 | 7,5033 | 7,5633 | 7,5633 | 7,5633 |
| 3513        | Piso de ceramico esmaltado 10x20 c/adhesivo                     | m <sup>2</sup> | 4,0955 | 4,1820 | 4,0233 | 4,2474 | 4,3474 | 4,3316 | 4,5271 | 4,4880 | 4,5707 | 4,6564 | 4,7323 | 4,7654 |
| 3514        | Piso de ceramico esmaltado 20x20 c/adhesivo                     | m <sup>2</sup> | 3,6784 | 3,7721 | 3,6676 | 3,8557 | 3,9440 | 3,9481 | 4,1038 | 4,0802 | 4,1436 | 4,2340 | 4,2906 | 4,3088 |
| 3515        | Piso de ceramico rojo 20x20 c/adhesivo                          | m <sup>2</sup> | 4,6838 | 4,8009 | 4,6507 | 4,8786 | 4,9913 | 4,9939 | 5,1817 | 5,1389 | 5,2210 | 5,3083 | 5,3729 | 5,3886 |
| 3516        | Piso de ceramico 15x15 c/adhesivo                               | m <sup>2</sup> | 3,3383 | 3,3924 | 3,2893 | 3,5135 | 3,6121 | 3,5831 | 3,7365 | 3,6907 | 3,7899 | 3,8415 | 3,8808 | 3,8853 |
| 3517        | Piso de goma dimensiones varias. M: 1:3 c/adhesivo              | m <sup>2</sup> | 2,8445 | 2,9208 | 2,8411 | 2,9781 | 3,0613 | 3,0907 | 3,2038 | 3,2028 | 3,2496 | 3,2950 | 3,3353 | 3,3757 |
| 3518        | Rasqueteo y lustre de piso de madera                            | m <sup>2</sup> | 3,9764 | 4,0029 | 3,7522 | 4,0531 | 4,1445 | 4,0531 | 4,3127 | 4,2330 | 4,3569 | 4,3776 | 4,3776 | 4,3776 |
| 3519        | Mosaicos calcáreos 15x15  | m <sup>2</sup> | 4,5740 | 4,6968 | 4,5986 | 4,8440 | 4,9715 | 5,0032 | 5,1805 | 5,1306 | 5,2122 | 5,2740 | 5,2763 | 5,2819 |
| 3520        | Mosaicos graníticos 40x40. M:1/2:1:3:1                          | m <sup>2</sup> | 3,5494 | 3,6436 | 3,5632 | 3,7546 | 3,8345 | 3,8736 | 4,0074 | 3,9709 | 4,0328 | 4,0999 | 4,1021 | 4,1058 |
| 3521        | Piso de ladrillos comunes, c/contrapiso                         | m <sup>2</sup> | 4,8536 | 4,9442 | 4,7896 | 5,1226 | 5,2781 | 5,2790 | 5,5041 | 5,3852 | 5,5270 | 5,5535 | 5,5627 | 5,5810 |
| 3522        | Piso de parquet a bastón roto, incl rasqueteo y lustre          | m <sup>2</sup> | 3,8008 | 3,8877 | 3,7864 | 3,9540 | 4,0433 | 4,0583 | 4,1805 | 4,1475 | 4,5224 | 4,6485 | 4,6765 | 4,6888 |
| 3523        | Piso de pino machimbrado (1"x4")s/losa                          | m <sup>2</sup> | 4,6955 | 4,7951 | 4,6612 | 4,8906 | 5,0008 | 5,0376 | 5,2000 | 5,1690 | 5,4922 | 5,5102 | 5,5763 | 5,5984 |
| 3524        | Piso de Cemento alisado M: 1: 3 c/junta de dilat.               | m <sup>2</sup> | 4,9100 | 5,0020 | 4,8589 | 5,1984 | 5,4151 | 5,4070 | 5,6708 | 5,6401 | 5,7628 | 5,7975 | 5,8303 | 5,8548 |
| 3525        | Piso de Alfombra c/adhesivo                                     | m <sup>2</sup> | 4,1265 | 4,2464 | 4,1506 | 4,3364 | 4,4179 | 4,4720 | 4,6252 | 4,6063 | 4,6708 | 4,7392 | 4,7673 | 4,7966 |
| 3526        | Piso de Cemento alisado con Canto rodado                        | m <sup>2</sup> |        |        |        |        |        |        |        |        |        |        |        |        |
| 3527        | Entrepiso de madera   | m <sup>2</sup> | 4,4876 | 4,6179 | 4,5633 | 4,7104 | 4,8118 | 4,9059 | 4,9963 | 4,9996 | 6,2900 | 6,2994 | 6,3002 | 6,3006 |
| 3528        | Ceramico rojo antideslizante 25x25 c/adhesivo                   | m <sup>2</sup> | 4,2264 | 4,3152 | 4,1739 | 4,4266 | 4,5100 | 4,5226 | 4,7138 | 4,6739 | 4,7591 | 4,8089 | 4,8813 | 4,9013 |
| 3530        | Ceramico rojo antideslizante 40X40 c/adhesivo                   | m <sup>2</sup> | 3,5734 | 3,6780 | 3,6030 | 3,7651 | 3,8143 | 3,8680 | 3,9940 | 3,9814 | 4,0329 | 4,0860 | 4,1243 | 4,1309 |
| 3531        | Loseta de Hº 40x40.   | m <sup>2</sup> | 3,6600 | 3,7497 | 3,6576 | 3,8684 | 3,9693 | 3,9841 | 4,1399 | 4,0785 | 4,1989 | 4,2651 | 4,2692 | 4,2769 |
| 3532        | Porcelanato de 30x30 sin pulir - colocac. s/piso existente      | m <sup>2</sup> | 3,1080 | 3,2474 | 3,2395 | 3,2541 | 3,3312 | 3,4480 | 3,5438 | 3,6270 | 3,6318 | 3,6606 | 4,0510 | 4,0544 |
| 3533        | Porcelanato de 30x30 sin pulir                                  | m <sup>2</sup> | 2,9458 | 3,0777 | 3,0607 | 3,0911 | 3,1753 | 3,3062 | 3,4154 | 3,4986 | 3,5087 | 3,5698 | 3,6077 | 3,6150 |
| 3534        | Piso de madera: reparación, pulido y encerado                   | m <sup>2</sup> | 4,4876 | 4,6179 | 4,5633 | 4,7104 | 4,8118 | 4,9059 | 4,9963 | 4,9996 | 6,2900 | 6,2994 | 6,3002 | 6,3006 |
| 3536        | Piso de cemento fratazado c/malla Sima                          | m <sup>2</sup> | 5,4418 | 5,5358 | 5,3567 | 5,7209 | 5,9209 | 5,9060 | 6,1806 | 6,1224 | 6,2776 | 6,3358 | 6,3567 | 6,3761 |
| 3537        | Piso de ceramico esmaltado 30x30 c/adhesivo                     | m <sup>2</sup> | 3,7602 | 3,8667 | 3,7687 | 3,9343 | 4,0231 | 4,0383 | 4,1832 | 4,1680 | 4,2252 | 4,3262 | 4,3926 | 4,4242 |
| 3538        | Piso de ceramico esmaltado 40x40 c/adhesivo                     | m <sup>2</sup> | 3,5692 | 3,6797 | 3,6001 | 3,7400 | 3,8231 | 3,8479 | 3,9731 | 3,9645 | 4,0122 | 4,1161 | 4,1546 | 4,1642 |
| <b>3600</b> | <b>CONTRAPISO</b>   |                |        |        |        |        |        |        |        |        |        |        |        |        |
| 3601        | Hº de Cascote s/losa de 8cm de esp.                             | m <sup>2</sup> | 5,0299 | 5,0949 | 4,9051 | 5,3023 | 5,4921 | 5,4728 | 5,7469 | 5,5958 | 5,7592 | 5,7821 | 5,7821 | 5,7979 |
| 3602        | Hº de Cascote s/losa 3 a 5cm de esp.                            | m <sup>2</sup> | 5,0132 | 5,0795 | 4,8775 | 5,2815 | 5,4702 | 5,4437 | 5,7219 | 5,5728 | 5,7417 | 5,7616 | 5,7616 | 5,7748 |
| 3603        | Hº de Cascote s/terr. nat. 12cm de esp.                         | m <sup>2</sup> | 4,6720 | 4,7478 | 4,6152 | 4,9723 | 5,1603 | 5,1749 | 5,4038 | 5,2595 | 5,4125 | 5,4315 | 5,4315 | 5,4504 |
| 3604        | Hº de Cascote s/local sanit. s/losa (Esp. 18 cm)                | m <sup>2</sup> | 4,6203 | 4,6975 | 4,5726 | 4,9228 | 5,1117 | 5,1310 | 5,3523 | 5,2102 | 5,3604 | 5,3787 | 5,3787 | 5,3980 |
| 3605        | Manto de concreto p/piso de madera (2cm esp., M: 1:3)           | m <sup>2</sup> | 5,0735 | 5,1618 | 5,0221 | 5,4007 | 5,6471 | 5,6324 | 5,9191 | 5,8824 | 6,0221 | 6,0441 | 6,0441 | 6,0441 |
| 3606        | Hº de Cascote s/terr. Nat. 12cm C/cemento albañilería M: 1:3:10 | m <sup>2</sup> | 4,7956 | 4,8685 | 4,7211 | 5,1062 | 5,2536 | 5,2282 | 5,4929 | 5,4295 | 5,5895 | 5,6101 | 5,6101 | 5,6101 |
| <b>3700</b> | <b>ZOCALOS</b>  |                |        |        |        |        |        |        |        |        |        |        |        |        |
| 3701        | Zocalo de cemento rehundido: altura 10cm                        | m              | 6,2323 | 6,2525 | 5,8687 | 6,4343 | 6,6061 | 6,4949 | 6,9192 | 6,7778 | 6,9798 | 7,0202 | 7,0202 | 7,0202 |
| 3702        | Zocalo calcáreo 10x30 cm.                                       | m              | 3,0554 | 3,1208 | 3,0356 | 3,2099 | 3,2772 | 3,2733 | 3,4198 | 3,4198 | 3,4772 | 3,5168 | 3,5188 | 3,5228 |
| 3703        | Zocalo ceramico esmaltado 10x20 cm c/ adhesivo                  | m              | 3,5531 | 3,6356 | 3,5380 | 3,7267 | 3,8482 | 3,8612 | 4,0065 | 4,0022 | 4,0629 | 4,1106 | 4,1453 | 4,1627 |
| 3704        | Zocalo granítico 10x30 cm.                                      | m              | 2,8595 | 2,9387 | 2,8953 | 3,0370 | 3,1673 | 3,2005 | 3,3359 | 3,3410 | 3,3921 | 3,4368 | 3,4368 | 3,4406 |
| 3705        | Zocalo granítico 7x30 cm.                                       | m              | 3,1509 | 3,2193 | 3,1348 | 3,3159 | 3,4024 | 3,4145 | 3,5795 | 3,5594 | 3,6177 | 3,6579 | 3,6600 | 3,6660 |
| 3706        | Zocalo granitico calibrado 10x30 cm.                            | m              | 3,2385 | 3,3385 | 3,3038 | 3,4397 | 3,5141 | 3,5628 | 3,6859 | 3,7244 | 3,7615 | 3,8167 | 3,8244 | 3,8346 |
| 3707        | Zocalo gres ceramico 8x16 cm.                                   | m              | 3,8427 | 3,9129 | 3,7781 | 4,0112 | 4,1096 | 4,1039 | 4,2865 | 4,2669 | 4,3455 | 4,3933 | 4,4803 | 4,4803 |



| Cod.        | Trabajo ( Items.)   | unid.          | Ene-08 | Feb-08 | Mar-08 | Abr-08 | May-08 | Jun-08 | Jul-08 | Ago-08 | Sep-08 | Oct-08 | Nov-08 | Dic-08 |
|-------------|---|----------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 3708        | Zocalo de madera (con pegamento)                              | m              | 6,5703 | 6,7813 | 6,7305 | 6,9453 | 7,1211 | 7,2695 | 7,4023 | 7,4180 | 7,6992 | 7,7109 | 7,7656 | 7,8164 |
| 3709        | Zocalo ceramico 10x20 cm c/adhesivo                           | m              | 3,7958 | 3,8717 | 3,7513 | 3,9738 | 4,0681 | 4,0681 | 4,2382 | 4,2199 | 4,2932 | 4,3377 | 4,4267 | 4,4319 |
| 3710        | Guarda Flor de Lis de 7x20cm                                  | m              |        |        |        |        |        |        |        |        |        |        |        |        |
| <b>3800</b> | <b>REVESTIMIENTO</b>  |                |        |        |        |        |        |        |        |        |        |        |        |        |
| 3801        | Azulejos t/San Lorenzo blanco c/adhesivo                      | m <sup>2</sup> | 4,6049 | 4,6761 | 4,5251 | 4,8315 | 4,9325 | 4,8911 | 5,1017 | 5,0370 | 5,1895 | 5,2651 | 5,2985 | 5,3036 |
| 3802        | Azulejos t/San Lorenzo color c/adhesivo                       | m <sup>2</sup> | 4,4658 | 4,5409 | 4,4015 | 4,6843 | 4,7761 | 4,7406 | 4,9350 | 4,8760 | 5,0248 | 5,1019 | 5,1320 | 5,1361 |
| 3803        | Listel (San Lorenzo) c/adhesivo                               | m              | 3,8359 | 3,9487 | 3,9077 | 4,0410 | 4,2179 | 4,2846 | 4,4513 | 4,4949 | 4,5333 | 4,6026 | 4,6256 | 4,6256 |
| 3804        | Revestimiento de Granit. calib. 25x25 h=1,00                  | m <sup>2</sup> | 3,8558 | 3,9356 | 3,7920 | 4,0176 | 4,0955 | 4,1031 | 4,2816 | 4,2376 | 4,3196 | 4,3843 | 4,3862 | 4,3872 |
| 3805        | Revestimiento de Granito Sierra Chica 2,5cm (Nac.)            | m <sup>2</sup> | 2,0667 | 2,1344 | 2,1110 | 2,1494 | 2,1697 | 2,2007 | 2,2342 | 2,2313 | 2,2540 | 2,3108 | 2,3108 | 2,3166 |
| 3806        | Revestimiento de Granito Rojo Dragon 2,5cm                    | m <sup>2</sup> | 2,2777 | 2,3535 | 2,3299 | 2,3697 | 2,3980 | 2,4338 | 2,4687 | 2,4664 | 2,4955 | 2,5593 | 2,5593 | 2,5658 |
| 3807        | Revestimiento de baldosa cerámica 10x20cm. C/ adhesivo        | m <sup>2</sup> | 4,6192 | 4,6880 | 4,4659 | 4,7713 | 4,8850 | 4,8376 | 5,0912 | 5,0243 | 5,1381 | 5,2165 | 5,2707 | 5,2974 |
| 3808        | Revestimiento de baldosa cerámica 20x20cm. C/adhesivo         | m <sup>2</sup> | 4,0668 | 4,1485 | 3,9988 | 4,2433 | 4,3417 | 4,3232 | 4,5206 | 4,4782 | 4,5623 | 4,6494 | 4,6923 | 4,7084 |
| 3809        | Revestimiento de cemento alisado (incluso p/pizarrones)       | m <sup>2</sup> | 5,5858 | 5,6406 | 5,3777 | 5,8294 | 6,0406 | 5,9685 | 6,3198 | 6,2396 | 6,4010 | 6,4376 | 6,4487 | 6,4487 |
| 3810        | Revestimiento de cemento alisado p/interior de tanques        | m <sup>2</sup> | 5,5758 | 5,6298 | 5,3637 | 5,8112 | 6,0214 | 5,9479 | 6,3005 | 6,2186 | 6,3795 | 6,4177 | 6,4307 | 6,4307 |
| 3811        | Revestimiento de mosaicos calcaeos 20x20                      | m <sup>2</sup> | 4,7345 | 4,8183 | 4,6380 | 4,9548 | 5,0814 | 5,0596 | 5,2986 | 5,2217 | 5,3333 | 5,3967 | 5,3982 | 5,4020 |
| 3812        | Revestimiento de Marmol Travertino                            | m <sup>2</sup> | 2,7818 | 2,8733 | 2,8423 | 2,8931 | 2,9223 | 2,9645 | 3,0090 | 3,0054 | 3,0332 | 3,1099 | 3,1099 | 3,1176 |
| 3813        | Revestimiento de granito reconstituido esp. 3 cm              | m <sup>2</sup> | 2,6039 | 2,6762 | 2,6264 | 2,7081 | 2,7357 | 2,7804 | 2,8442 | 2,8303 | 2,8811 | 2,9446 | 2,9446 | 2,9509 |
| 3814        | Revestimiento de madera mach. s/entram. de mad. S/cornisa     | m <sup>2</sup> | 4,9487 | 5,0395 | 4,8707 | 5,1392 | 5,2567 | 5,2705 | 5,4709 | 5,4225 | 5,7996 | 5,8233 | 5,8638 | 5,8865 |
| 3815        | Revestimiento de cerámico imitación ladrillo c/adhesivo       | m <sup>2</sup> | 4,1735 | 4,2580 | 4,0957 | 4,3291 | 4,4293 | 4,4136 | 4,6141 | 4,5744 | 4,6589 | 4,7435 | 4,8302 | 4,8616 |
| 3816        | Cornisa de mad. P/revest. En pared                            | ml             | 6,2990 | 6,3217 | 5,9301 | 6,4633 | 6,6206 | 6,4930 | 6,9143 | 6,7710 | 7,0437 | 7,0892 | 7,0962 | 7,0997 |
| 3817        | Revestimiento de máyolicas españolas c/adhesivo lisa          | m <sup>2</sup> | 5,8314 | 5,8523 | 5,4863 | 5,9804 | 6,1359 | 6,0183 | 6,4235 | 6,3059 | 6,4902 | 6,5399 | 6,6000 | 6,6000 |
| 3818        | Revestimiento de máyolicas españolas c/adhesivo decorada      | m <sup>2</sup> | 5,4491 | 5,4751 | 5,1445 | 5,5960 | 5,7464 | 5,6481 | 6,0249 | 5,9265 | 6,0936 | 6,1505 | 6,2050 | 6,2050 |
| 3819        | Revestimiento de baldosa cerámica 20x20cm. Esmalt. C/adhesivo | m <sup>2</sup> | 3,7462 | 3,8374 | 3,7235 | 3,9227 | 4,0127 | 4,0120 | 4,1752 | 4,1472 | 4,2152 | 4,3051 | 4,3531 | 4,3711 |
| 3820        | Guarda canto de aluminio color                                | ml             | 5,6789 | 5,9127 | 5,9211 | 6,0845 | 6,3887 | 6,5803 | 6,7042 | 6,7944 | 7,3070 | 7,4704 | 7,4704 | 7,4704 |
| 3821        | Revestimiento de losetas atermicas                            | m <sup>2</sup> |        |        |        |        |        |        |        |        |        |        |        |        |
| 3822        | Guarda de cerámica 7x20cm. Flor de Lis                        | ml             |        |        |        |        |        |        |        |        |        |        |        |        |
| 3823        | Revestimiento de placas de plomo                              | m <sup>2</sup> | 4,2933 | 4,4960 | 4,4824 | 4,5047 | 4,5428 | 4,7081 | 4,9101 | 4,9043 | 4,9312 | 4,9350 | 4,9485 | 4,9598 |
| <b>3900</b> | <b>UMBRALES, ESCALONES Y CORDONES</b>                         |                |        |        |        |        |        |        |        |        |        |        |        |        |
| 3901        | Umbrales y escalones de cemento alisado                       | m <sup>2</sup> | 5,9224 | 5,9633 | 5,6509 | 6,1551 | 6,3637 | 6,2610 | 6,6551 | 6,5482 | 6,7327 | 6,7704 | 6,7704 | 6,7704 |
| 3902        | Umbrales y escalones de baldosas cerámicas                    | m <sup>2</sup> | 4,0943 | 4,1782 | 4,0336 | 4,2741 | 4,3711 | 4,3575 | 4,5536 | 4,5163 | 4,5975 | 4,6793 | 4,7568 | 4,7725 |
| 3903        | Umbrales y escalones de ladrillos de máquinas                 | m <sup>2</sup> | 5,2397 | 5,2970 | 5,0414 | 5,4461 | 5,6101 | 5,5486 | 5,8716 | 5,7603 | 5,9092 | 5,9415 | 5,9420 | 5,9518 |
| 3904        | Cordon de ladrillos de maquinas                               | m              | 5,0965 | 5,1597 | 4,9250 | 5,3098 | 5,4716 | 5,4223 | 5,7288 | 5,6270 | 5,7663 | 5,7974 | 5,7985 | 5,8081 |
| 3905        | Cordon y solias de ladrillos en sardinel c/jumta tomada       | m              | 5,7030 | 5,7631 | 5,4816 | 5,9310 | 6,1123 | 6,0378 | 6,3793 | 6,2380 | 6,4016 | 6,4372 | 6,4416 | 6,4549 |
| 3906        | Escalón y contraescalón de mosaico granítico                  | m <sup>2</sup> | 4,3052 | 4,3717 | 4,1847 | 4,4852 | 4,6020 | 4,5804 | 4,8088 | 4,7425 | 4,8515 | 4,9110 | 4,9123 | 4,9134 |
| 3907        | Revestimiento granítico de zócalos p/escaleras 7x30cm.        | ml             | 2,9277 | 3,0000 | 2,9327 | 3,0839 | 3,2110 | 3,2301 | 3,3812 | 3,3804 | 3,4286 | 3,4743 | 3,4743 | 3,4784 |
| 3908        | Umbrales y escalones de cemento alis. c/PNL guardacanto       | m <sup>2</sup> | 6,0063 | 6,0531 | 5,7401 | 6,2250 | 6,4762 | 6,4358 | 6,8170 | 6,7092 | 6,8875 | 6,9247 | 6,9247 | 6,9247 |
| 3909        | Antepechos de baldosas cerámicas 20x20                        | m <sup>2</sup> | 4,3005 | 4,3753 | 4,1966 | 4,4707 | 4,5762 | 4,5455 | 4,7690 | 4,7167 | 4,8142 | 4,8934 | 4,9532 | 4,9666 |
| 3910        | Umbral de Marmol  | m <sup>2</sup> | 2,7353 | 2,8276 | 2,8004 | 2,8434 | 2,8695 | 2,9139 | 2,9536 | 2,9530 | 2,9779 | 3,0548 | 3,0616 | 3,0691 |
| 3911        | Antepecho y Solias de Marmol                                  | m <sup>2</sup> | 2,7595 | 2,8511 | 2,8210 | 2,8678 | 2,8948 | 2,9376 | 2,9801 | 2,9782 | 3,0046 | 3,0814 | 3,0870 | 3,0945 |
| 3912        | Umbrales de Lajas de Mercedes                                 | m <sup>2</sup> | 4,6982 | 4,7873 | 4,5963 | 4,8740 | 5,0074 | 4,9911 | 5,2280 | 5,1797 | 5,3127 | 5,3333 | 5,4205 | 5,4239 |
| 3913        | Umbrales y escalones de Granito rojo dragon 2,5 cm. esp.      | m <sup>2</sup> | 2,2383 | 2,3147 | 2,2941 | 2,3278 | 2,3537 | 2,3911 | 2,4222 | 2,4222 | 2,4492 | 2,5130 | 2,5183 | 2,5246 |
| 3914        | Mesada Marmol Gr. Rojo 5cm                                    | m <sup>2</sup> | 2,2383 | 2,3147 | 2,2941 | 2,3278 | 2,3537 | 2,3911 | 2,4222 | 2,4222 | 2,4492 | 2,5130 | 2,5183 | 2,5246 |
| 3915        | Umbrales y escalones de granito reconstituido                 | m <sup>2</sup> | 2,5263 | 2,5997 | 2,5558 | 2,6254 | 2,6480 | 2,6963 | 2,7525 | 2,7433 | 2,7898 | 2,8533 | 2,8643 | 2,8704 |
| 3916        | Umbrales y escalones de Marmol Blanco                         | m <sup>2</sup> | 5,5957 | 5,6400 | 5,3200 | 5,7486 | 5,8986 | 5,8043 | 6,1643 | 6,0743 | 6,2429 | 6,2886 | 6,4514 | 6,4529 |

| Cod.        | Trabajo ( Items.)   | unid.          | Ene-08 | Feb-08 | Mar-08 | Abr-08 | May-08 | Jun-08 | Jul-08 | Ago-08 | Sep-08 | Oct-08 | Nov-08 | Dic-08 |
|-------------|---|----------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 3917        | Umbrales y escalones de losetas atermicas.                                      | m <sup>2</sup> |        |        |        |        |        |        |        |        |        |        |        |        |
| <b>4100</b> | <b>PINTURA</b>  |                |        |        |        |        |        |        |        |        |        |        |        |        |
| 4101        | Pintura Interior al Agua  | m <sup>2</sup> | 5,9884 | 6,0581 | 5,7326 | 6,1686 | 6,2907 | 6,1919 | 6,5349 | 6,4186 | 6,6221 | 6,6512 | 6,6512 | 6,6512 |
| 4102        | Pintura al Agua p/cielorraso  | m <sup>2</sup> | 6,2043 | 6,2553 | 5,8936 | 6,3830 | 6,5149 | 6,4000 | 6,7787 | 6,6468 | 6,8596 | 6,8979 | 6,8979 | 6,8979 |
| 4103        | Pintura Exterior al Agua  | m <sup>2</sup> | 5,8063 | 5,8972 | 5,6008 | 5,9881 | 6,1225 | 6,0514 | 6,3597 | 6,2530 | 6,4229 | 6,4545 | 6,4545 | 6,4545 |
| 4104        | Pintura a base de Siliconas en muros  | m <sup>2</sup> | 5,7837 | 5,9122 | 5,6614 | 5,9937 | 6,0972 | 6,0627 | 6,3260 | 6,2351 | 6,3918 | 6,4201 | 6,4201 | 6,4201 |
| 4105        | Pintura Latex s/muros p/interior s/enduído                                      | m <sup>2</sup> | 5,8790 | 5,9425 | 5,6528 | 6,1091 | 6,2341 | 6,1508 | 6,4861 | 6,3710 | 6,5536 | 6,5913 | 6,5913 | 6,5913 |
| 4106        | Pintura Latex p/cielorraso previo enduido                                       | m <sup>2</sup> | 5,7942 | 5,8548 | 5,5619 | 6,0013 | 6,1263 | 6,0404 | 6,4255 | 6,3649 | 6,5354 | 6,5745 | 6,5745 | 6,5745 |
| 4107        | Pintura Latex s/muro p/interior previo enduido                                  | m <sup>2</sup> | 5,7237 | 5,7884 | 5,5067 | 5,9340 | 6,0553 | 5,9757 | 6,3531 | 6,2992 | 6,4663 | 6,5027 | 6,5027 | 6,5027 |
| 4108        | Esmalte sintético s/madera  | m <sup>2</sup> | 5,2755 | 5,3603 | 5,1110 | 5,4582 | 5,5653 | 5,5144 | 5,7846 | 5,6932 | 5,8303 | 5,8616 | 5,8616 | 5,8616 |
| 4109        | Esmalte sintético en cielorraso de madera                                       | m <sup>2</sup> | 5,3249 | 5,4071 | 5,1517 | 5,5070 | 5,6157 | 5,5613 | 5,8382 | 5,7446 | 5,8850 | 5,9166 | 5,9166 | 5,9166 |
| 4110        | Antióxido en chapa ondulada existente   | m <sup>2</sup> | 5,9943 | 6,0363 | 5,7004 | 6,1775 | 6,3206 | 6,2137 | 6,5782 | 6,4523 | 6,6260 | 6,6641 | 6,6660 | 6,6660 |
| 4111        | Esmalte sintético s/metal   | m <sup>2</sup> | 5,1307 | 5,2247 | 4,9971 | 5,3216 | 5,4258 | 5,3877 | 5,6358 | 5,5521 | 5,6740 | 5,7019 | 5,7019 | 5,7019 |
| 4112        | Aislación Hidráulica Rakodray   | m <sup>2</sup> | 5,8031 | 5,9156 | 5,6344 | 5,9906 | 6,1063 | 6,0500 | 6,3375 | 6,2344 | 6,4031 | 6,4219 | 6,4219 | 6,4219 |
| 4113        | Cementolite   | m <sup>2</sup> | 5,6504 | 5,7124 | 5,4425 | 5,8805 | 6,0708 | 5,9912 | 6,3319 | 6,2478 | 6,3982 | 6,4292 | 6,4292 | 6,4292 |
| 4114        | Barníz en muro de ladrillos vistos  | m <sup>2</sup> | 5,0619 | 5,1675 | 5,1263 | 5,5619 | 5,6675 | 5,6598 | 5,8763 | 5,8041 | 5,9433 | 5,9665 | 5,9665 | 5,9665 |
| 4115        | Barníz s/madera en carpinterías   | m <sup>2</sup> | 6,0231 | 6,0941 | 5,8224 | 6,3162 | 6,4618 | 6,3783 | 6,7229 | 6,6057 | 6,7904 | 6,8295 | 6,8295 | 6,8295 |
| 4116        | Barníz en cielorraso de madera  | m <sup>2</sup> | 6,0780 | 6,1458 | 5,8695 | 6,3695 | 6,5169 | 6,4288 | 6,7814 | 6,6610 | 6,8475 | 6,8881 | 6,8881 | 6,8881 |
| 4117        | Pintura Plástica p/exteriores t/Rakoton termin. liso                            | m <sup>2</sup> | 5,3968 | 5,4871 | 5,2484 | 5,6097 | 5,7484 | 5,7000 | 5,9710 | 5,8774 | 6,0484 | 6,0774 | 6,0774 | 6,0774 |
| 4118        | Pintura Plástica p/exteriores t/Rakoton termin. granulado fino                  | m <sup>2</sup> | 5,4259 | 5,5152 | 5,2795 | 5,6559 | 5,8042 | 5,7586 | 6,0342 | 5,9392 | 6,1198 | 6,1502 | 6,1502 | 6,1502 |
| 4119        | Pintura Plástica p/exteriores t/Rakoton termin. granulado medio                 | m <sup>2</sup> | 5,2053 | 5,3105 | 5,1119 | 5,4524 | 5,6027 | 5,5776 | 5,8197 | 5,7362 | 5,9115 | 5,9382 | 5,9382 | 5,9382 |
| 4120        | Pintura Plástica p/exteriores termin. granulado grueso/rayé/espátulado          | m <sup>2</sup> | 5,0327 | 5,1488 | 4,9821 | 5,2932 | 5,4435 | 5,4360 | 5,6518 | 5,5774 | 5,7500 | 5,7738 | 5,7738 | 5,7738 |
| 4121        | Pintura Especial p/pizarrón   | m <sup>2</sup> | 4,4338 | 4,5640 | 4,4310 | 4,6214 | 4,6936 | 4,7098 | 4,9533 | 5,0007 | 5,0786 | 5,0941 | 5,0941 | 5,0941 |
| 4122        | Enduido Plástico en cielorraso  | m <sup>2</sup> | 6,1466 | 6,1812 | 5,8138 | 6,3147 | 6,4563 | 6,3311 | 6,7924 | 6,7265 | 6,9094 | 6,9539 | 6,9539 | 6,9539 |
| 4123        | Rasq. y Lustre a maquina en piso de madera                                      | m <sup>2</sup> | 3,9764 | 4,0029 | 3,7522 | 4,0531 | 4,1445 | 4,0531 | 4,3127 | 4,2330 | 4,3569 | 4,3776 | 4,3776 | 4,3776 |
| 4124        | Pizarrón Completo 1.5 x 5.8 m.  | un             | 4,9412 | 5,0566 | 4,9035 | 5,1679 | 5,2918 | 5,2992 | 5,5498 | 5,5532 | 5,6596 | 5,6802 | 5,6883 | 5,6965 |
| 4125        | Enduido Plástico en moldura de cielorraso                                       | m <sup>2</sup> | 5,4977 | 5,5701 | 5,3122 | 5,6697 | 5,7783 | 5,7059 | 6,1312 | 6,1810 | 6,3077 | 6,3439 | 6,3439 | 6,3439 |
| 4126        | Pintura Latex s/muros exteriores s/enduído (t/Albafrent, Muralba o similar)     | m <sup>2</sup> | 5,9197 | 5,9866 | 5,6692 | 6,0994 | 6,2314 | 6,1491 | 6,4837 | 6,3690 | 6,5488 | 6,5870 | 6,5870 | 6,5870 |
| 4127        | Pintura Latex s/muros exteriores previo enduido(t/Albafrent, Muralba o similar) | m <sup>2</sup> | 5,7406 | 5,8088 | 5,5107 | 5,9171 | 6,0428 | 5,9652 | 6,3396 | 6,2861 | 6,4505 | 6,4866 | 6,4866 | 6,4866 |
| 4128        | Pintura Asfáltica   | m <sup>2</sup> | 5,8738 | 5,9450 | 5,6149 | 6,0388 | 6,1845 | 6,0939 | 6,4304 | 6,3074 | 6,5081 | 6,5340 | 6,5340 | 6,5340 |
| 4129        | Recubrimiento plástico p/techos   | m <sup>2</sup> | 5,4621 | 5,5997 | 5,5013 | 5,9091 | 6,0404 | 6,0417 | 6,2689 | 6,1894 | 6,3523 | 6,3763 | 6,3763 | 6,3763 |
| 4130        | Antioxido s/metal   | m <sup>2</sup> | 6,0030 | 6,0480 | 5,7207 | 6,1922 | 6,3333 | 6,2252 | 6,5886 | 6,4655 | 6,6366 | 6,6757 | 6,6757 | 6,6757 |
| 4131        | Pintura Latex s/muros p/interior s/enduído (Tersuave o simil)                   | m <sup>2</sup> | 6,1968 | 6,2654 | 5,9130 | 6,4233 | 6,5881 | 6,4737 | 6,8604 | 6,7277 | 6,9382 | 6,9817 | 6,9817 | 6,9817 |
| 4132        | Pintura Latex s/muros p/exterior s/enduído (Tersuave o simil)                   | m <sup>2</sup> | 6,1917 | 6,2636 | 5,9129 | 6,4183 | 6,5861 | 6,4749 | 6,8562 | 6,7255 | 6,9477 | 6,9913 | 6,9913 | 6,9913 |
| 4133        | Esmalte sintético s/madera Tersuave o simil.                                    | m <sup>2</sup> | 5,6962 | 5,8270 | 5,5756 | 5,9898 | 6,1119 | 6,0523 | 6,3532 | 6,2515 | 6,4070 | 6,4419 | 6,4419 | 6,4419 |
| 4134        | Esmalte sintético s/metal - Tersuave o simil.                                   | m <sup>2</sup> | 5,6672 | 5,7599 | 5,5146 | 5,9160 | 6,0343 | 5,9811 | 6,2710 | 6,1732 | 6,3156 | 6,3482 | 6,3482 | 6,3482 |
| 4135        | Barníz sintético s/madera en carpinterías - Tersuave o simil.                   | m <sup>2</sup> | 6,1391 | 6,2011 | 5,8816 | 6,3741 | 6,5658 | 6,4680 | 6,8327 | 6,7086 | 6,8985 | 6,9398 | 6,9398 | 6,9398 |
| 4136        | Pizarrón Completo c/aglomerado y fenólica 5,10X1,10m                            | un             | 5,4282 | 5,5213 | 5,2962 | 5,6293 | 5,7547 | 5,7166 | 6,0045 | 5,9559 | 6,0906 | 6,1417 | 6,1539 | 6,1661 |
| 4139        | Pintura para demarcación en pisos   | m <sup>2</sup> | 5,2144 | 5,3046 | 5,0523 | 5,3987 | 5,5542 | 5,5111 | 5,7791 | 5,6850 | 5,8353 | 5,8797 | 5,8797 | 5,8797 |
| 4144        | Barníz Poliuretánico s/madera en carpintería                                    | m <sup>2</sup> | 5,8593 | 5,9459 | 5,7143 | 6,1775 | 6,3182 | 6,2532 | 6,5671 | 6,4610 | 6,6364 | 6,6710 | 6,6710 | 6,6710 |
| 4151        | Pulido sellado y plastificado de piso de madera                                 | m <sup>2</sup> | 5,3184 | 5,4484 | 5,3261 | 5,7021 | 5,8277 | 5,8219 | 6,0461 | 5,9654 | 6,1262 | 6,1454 | 6,1461 | 6,1461 |
| <b>4200</b> | <b>VIDRIOS</b>  |                |        |        |        |        |        |        |        |        |        |        |        |        |
| 4201        | Vidrio doble transp. c/masilla s madera o metal                                 | m <sup>2</sup> | 2,4976 | 2,5832 | 2,5534 | 2,6500 | 2,7082 | 2,7255 | 2,7933 | 2,7731 | 2,8553 | 2,9173 | 2,9212 | 2,9250 |
| 4202        | Vidrio triple transp. c/masilla s madera o metal                                | m <sup>2</sup> | 2,6448 | 2,7425 | 2,7233 | 2,8155 | 2,8766 | 2,9017 | 2,9726 | 2,9548 | 3,0422 | 3,1123 | 3,1170 | 3,1216 |





| Cod.        | Trabajo ( Items.)  | unid.          | Ene-08 | Feb-08 | Mar-08 | Abr-08 | May-08 | Jun-08 | Jul-08 | Ago-08 | Sep-08 | Oct-08 | Nov-08 | Dic-08 |
|-------------|--|----------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 4203        | Vidrio Blindex c/masilla s madera o metal  | m <sup>2</sup> | 2,0950 | 2,1905 | 2,2075 | 2,2538 | 2,3001 | 2,3376 | 2,4146 | 2,4099 | 2,4221 | 2,4233 | 2,4277 | 2,4322 |
| 4204        | Vidrio Armados c/masilla s madera o metal  | m <sup>2</sup> | 2,3323 | 2,4290 | 2,4310 | 2,4972 | 2,5498 | 2,5820 | 2,6748 | 2,6645 | 2,7222 | 2,7697 | 2,7744 | 2,7788 |
| 4205        | Vidrio tipo Granitex c/masilla s madera o metal  | m <sup>2</sup> | 2,5840 | 2,6803 | 2,6639 | 2,7521 | 2,8115 | 2,8371 | 2,9258 | 2,9089 | 2,9952 | 2,9996 | 3,0040 | 3,0084 |
| 4206        | Vidrio Traslucido c/masilla s madera o metal   | m <sup>2</sup> | 3,4115 | 3,5508 | 3,5350 | 3,6204 | 3,6969 | 3,7415 | 3,8623 | 3,8462 | 3,9608 | 3,9650 | 3,9715 | 3,9777 |
| 4207        | Restauración de Vitreaux   | m <sup>2</sup> |        | 7,0412 | 6,6149 | 7,2736 | 7,4360 | 7,2763 | 7,7650 | 7,6035 | 7,8188 | 7,9009 | 7,9010 | 7,9010 |
| <b>5000</b> | <b>CUBIERTAS</b>   |                |        |        |        |        |        |        |        |        |        |        |        |        |
| 5001        | H°G° N°24 s/reticulado de hierro redondo s/aislación                                     | m <sup>2</sup> | 5,3707 | 5,4571 | 5,2568 | 5,6004 | 5,8398 | 5,8256 | 6,0865 | 6,0173 | 6,1793 | 6,2361 | 6,4523 | 6,6662 |
| 5002        | H°G° N°24 s/tiranteria de madera s/aislación   | m <sup>2</sup> | 4,8836 | 4,9935 | 4,8432 | 5,0722 | 5,3281 | 5,3658 | 5,5426 | 5,5000 | 5,8631 | 5,8831 | 6,2139 | 6,5054 |
| 5003        | Babetas H°G° N°24  | m <sup>2</sup> | 3,7522 | 3,8867 | 3,8494 | 3,9459 | 4,0841 | 4,2142 | 4,3041 | 4,3121 | 4,4211 | 4,4744 | 4,4963 | 4,5190 |
| 5004        | Cupertina H°G° N°24 x1.20  | m <sup>2</sup> | 3,7522 | 3,8867 | 3,8494 | 3,9459 | 4,0841 | 4,2142 | 4,3041 | 4,3121 | 4,4211 | 4,4744 | 4,4963 | 4,5190 |
| 5005        | Tejas francesas asent. s/losa de h°  | m <sup>2</sup> | 3,8272 | 3,9344 | 3,8705 | 4,0475 | 4,2818 | 4,4353 | 4,6807 | 4,7481 | 4,9543 | 5,0562 | 5,0562 | 5,0586 |
| 5006        | Tejas francesas sobre entablonado  | m <sup>2</sup> | 4,3456 | 4,4767 | 4,4315 | 4,5779 | 4,7245 | 4,8455 | 4,9764 | 5,0079 | 5,9022 | 5,9472 | 5,9819 | 5,9960 |
| 5007        | Tejas francesas sobre tejuelas   | m <sup>2</sup> | 3,7141 | 3,7988 | 3,7035 | 3,8937 | 4,0496 | 4,1185 | 4,3030 | 4,3112 | 4,5403 | 4,6064 | 4,6370 | 4,6450 |
| 5008        | Tejas españolas asent. s/losa de h°  | m <sup>2</sup> | 4,8394 | 4,9743 | 4,8950 | 5,1206 | 5,3821 | 5,5427 | 5,8936 | 6,0339 | 6,3286 | 6,3394 | 6,3394 | 6,3455 |
| 5009        | Tejas españolas sobre entablonado  | m <sup>2</sup> | 4,7658 | 4,9114 | 4,8652 | 5,0222 | 5,1766 | 5,3076 | 5,4654 | 5,5255 | 6,5117 | 6,5295 | 6,5631 | 6,5735 |
| 5010        | Tejas españolas sobre tejuelas   | m <sup>2</sup> | 4,0030 | 4,0985 | 4,0047 | 4,2025 | 4,3626 | 4,4349 | 4,6426 | 4,6695 | 4,9122 | 4,9508 | 4,9803 | 4,9923 |
| 5011        | Cubierta t/Mini khala de chapa galvanizado   | m <sup>2</sup> | 5,5177 | 5,6438 | 5,5150 | 5,8192 | 5,9787 | 6,0267 | 6,2748 | 6,2582 | 6,4083 | 6,4470 | 6,4817 | 6,5177 |
| 5012        | Canaleta cuadrada de H°G°  | ml             | 4,1523 | 4,2225 | 4,0605 | 4,2927 | 4,3877 | 4,3823 | 4,5734 | 4,5130 | 4,6555 | 4,7257 | 4,7516 | 4,7775 |
| 5013        | Cumbrera de chapa de H°G° N°24   | ml             | 2,3373 | 2,4173 | 2,4393 | 2,5493 | 2,6253 | 2,6807 | 2,7267 | 2,7207 | 2,7927 | 2,7960 | 2,8147 | 2,8327 |
| 5014        | Chapa Trapezoidal Autoportante   | m <sup>2</sup> | 5,2833 | 5,4334 | 5,3646 | 5,6010 | 5,7251 | 5,8198 | 6,0243 | 6,0419 | 6,1752 | 6,2146 | 6,2590 | 6,3034 |
| 5015        | Colocación Chapas de H°G° N°24 s/tiranteria existente                                    | m <sup>2</sup> | 4,1815 | 4,2945 | 4,1884 | 4,3519 | 4,6729 | 4,7286 | 4,8579 | 4,8305 | 4,9512 | 4,9692 | 5,4007 | 5,8322 |
| 5016        | Bajada pluvial de chapa diam. 0,100  | ml             | 5,4175 | 5,5718 | 5,4592 | 5,6981 | 5,8068 | 5,8670 | 6,0340 | 5,9806 | 6,1223 | 6,2447 | 6,2806 | 6,3165 |
| 5017        | Canaleta de H°G° N° 27 c/desborde  | ml             | 4,7912 | 4,9219 | 4,8215 | 5,0120 | 5,3068 | 5,4375 | 5,6048 | 5,5825 | 5,7307 | 5,8924 | 5,9243 | 5,9570 |
| 5019        | Canaleta de H°G° c/desborde - Reparación y Recolocación                                  | ml             | 5,2564 | 5,3036 | 5,0218 | 5,4018 | 5,5545 | 5,4873 | 5,8018 | 5,6945 | 5,8964 | 5,9618 | 5,9691 | 5,9764 |
| 5020        | Cenefa de H°G° (Flor de Lis) recolocación  | ml             | 6,2133 | 6,2467 | 6,0933 | 6,8200 | 7,0933 | 7,0000 | 7,4000 | 7,2667 | 7,5333 | 7,5667 | 7,5667 | 7,5667 |
| 5022        | Cubierta de chapa de H°G° N°24 s/chapa doblada C c/aislación                             | m <sup>2</sup> | 4,1146 | 4,2236 | 4,1566 | 4,3624 | 4,5801 | 4,6261 | 4,7716 | 4,7546 | 4,8719 | 4,9013 | 5,1019 | 5,3105 |
| 5023        | Cubierta de F°C° s/tiranteria de madera  | m <sup>2</sup> | 5,4382 | 5,4866 | 5,1794 | 5,5868 | 5,7351 | 5,6574 | 5,9782 | 5,8665 | 6,0458 | 6,0734 | 6,0734 | 6,0763 |
| 5024        | Reparación Cubierta de Cobre en cúpula - Chapas de 5mm - En altura                       | m <sup>2</sup> | 6,9674 | 7,0718 | 6,8021 | 7,2900 | 7,4395 | 7,3930 | 7,8120 | 7,8013 | 7,9656 | 8,1664 | 8,3263 | 8,4894 |
| 5025        | Reparación canaleta de cobre en cúpula - Chapas de 5mm - 2M altura                       | ml             | 7,2401 | 7,4314 | 7,3253 | 7,7104 | 7,8389 | 7,8990 | 8,2635 | 8,3873 | 8,4948 | 8,8242 | 9,1173 | 9,4162 |
| 5028        | Cubierta de chapa de H°G° N°24 s/reticulado de hierro redondo c/aislación                | m <sup>2</sup> | 5,1566 | 5,2336 | 5,0595 | 5,4364 | 5,7081 | 5,6879 | 5,9409 | 5,8609 | 6,0252 | 6,0655 | 6,2561 | 6,4543 |
| 5032        | Cenefa H°G° N°24   | ml             | 4,4613 | 4,6016 | 4,5308 | 4,6999 | 4,9214 | 5,0760 | 5,2202 | 5,2241 | 5,3630 | 5,4522 | 5,4731 | 5,4954 |
| 5034        | Recolocación de canaleta de H°G° existente   | ml             | 5,4061 | 5,4408 | 5,1224 | 5,5469 | 5,6776 | 5,5837 | 5,9347 | 5,8143 | 6,0286 | 6,0796 | 6,0776 | 6,0776 |
| 5035        | Cubierta de chapa de H°G° N°24 trapez. Prepintada s/madera c/aislac.                     | m <sup>2</sup> | 4,8228 | 4,9806 | 4,9519 | 5,0909 | 5,2052 | 5,3219 | 5,4106 | 5,4383 | 5,7446 | 5,7606 | 5,8085 | 5,8451 |
| 5039        | Viga reticulada rectangular (40x20) de hierro redondo                                    | ml             | 5,9745 | 6,1215 | 5,9537 | 6,1957 | 6,5236 | 6,5718 | 6,7561 | 6,6909 | 6,8006 | 6,9584 | 6,9612 | 6,9636 |
| 5043        | Rejilla ventilación de cieloraso   | un             | 5,7661 | 5,8938 | 5,7489 | 6,1263 | 6,2683 | 6,2999 | 6,5337 | 6,4806 | 6,6542 | 6,8006 | 6,8235 | 6,8479 |
| 5044        | Canaleta de H°G° N°24 c/desborde   | ml             | 4,2288 | 4,3517 | 4,2627 | 4,4308 | 4,5946 | 4,7048 | 4,8524 | 4,8411 | 4,9703 | 5,0388 | 5,0551 | 5,0727 |
| 5047        | Cubierta de chapa de H°G° N°24 s/correas de chapa doblada s/aisl.                        | m <sup>2</sup> | 4,2253 | 4,3337 | 4,2261 | 4,4158 | 4,6261 | 4,6646 | 4,8250 | 4,8047 | 4,9334 | 4,9578 | 5,1685 | 5,3788 |
| 5049        | Cubierta de H°G° N° 24 s/tiranteria de madera - Reemplazo de chapas                      | m <sup>2</sup> | 4,7531 | 4,8501 | 4,6811 | 4,9625 | 5,3141 | 5,5216 | 5,7368 | 5,6763 | 5,7819 | 5,9059 | 5,9145 | 5,9232 |
| 5051        | Cubierta Ch. simil teja c/aislación - Reemplazo de chapas y entablonado                  | m <sup>2</sup> | 4,0825 | 4,2078 | 4,1694 | 4,3097 | 4,4093 | 4,5005 | 4,6085 | 4,6396 | 4,8062 | 4,8232 | 4,8253 | 4,8319 |
| 5052        | Recolocación de Cumbrera de chapa de H°G° N°24   | ml             | 5,9773 | 6,0341 | 5,7102 | 6,1307 | 6,2784 | 6,2045 | 6,5398 | 6,4318 | 6,6364 | 6,7102 | 6,7614 | 6,8125 |
| 5053        | Cubierta de chapa Trap. de H°G° N° 24 prepintadas s/correas de chapa doblada c/aislación | m <sup>2</sup> | 3,6473 | 3,7642 | 3,7336 | 3,8646 | 3,9594 | 4,0278 | 4,1313 | 4,1554 | 4,2496 | 4,2709 | 4,2932 | 4,3221 |
| 5054        | Repaso de cubierta de CH. N°24 s/tiranteria de madera                                    | m <sup>2</sup> | 6,2921 | 6,3237 | 5,9395 | 6,4447 | 6,6053 | 6,4895 | 6,8895 | 6,7526 | 7,0079 | 7,0658 | 7,1053 | 7,1289 |
| 5056        | Bajada de P.V.C. Diam. 0,110   | ml             | 5,1853 | 5,3441 | 5,2911 | 5,6594 | 5,8044 | 5,8044 | 6,0023 | 5,9356 | 6,0736 | 6,1438 | 6,1784 | 6,2083 |
| <b>5100</b> | <b>VARIOS</b>  |                |        |        |        |        |        |        |        |        |        |        |        |        |



| Cod.        | Trabajo ( Items.)  | unid. | Ene-08 | Feb-08 | Mar-08 | Abr-08 | May-08 | Jun-08 | Jul-08 | Ago-08 | Sep-08 | Oct-08 | Nov-08 | Dic-08 |
|-------------|--|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 5101        | Alambrado h.=1,5m c/poste olímpico   | ml    | 4,6513 | 4,7816 | 4,7265 | 4,9013 | 4,9887 | 5,0332 | 5,1731 | 5,1764 | 5,2549 | 5,4296 | 5,4515 | 5,4782 |
| 5102        | Arco madera p/acceso a localidades   | gl    | 4,1501 | 4,2345 | 4,1209 | 4,3431 | 4,4298 | 4,4304 | 4,5836 | 4,5539 | 4,6518 | 4,7115 | 4,7162 | 4,7208 |
| 5103        | Alambrado h.=2,50m c/poste olímpico  | ml    | 4,6513 | 4,7816 | 4,7265 | 4,9013 | 4,9887 | 5,0332 | 5,1731 | 5,1764 | 5,2549 | 5,4296 | 5,4515 | 5,4782 |
| 5107        | Reja de o,40 p/desague   | m     | 6,2350 | 6,3064 | 6,0113 | 6,4500 | 6,7911 | 6,8686 | 7,2054 | 7,0940 | 7,2837 | 7,3377 | 7,3455 | 7,3516 |
| 5108        | Reja de o,60 p/desague   | m     | 6,2090 | 6,2852 | 6,0133 | 6,4403 | 6,7919 | 6,8847 | 7,2065 | 7,1003 | 7,2861 | 7,3458 | 7,3541 | 7,3615 |
| 5109        | Chapa de Policarbonato s/marco perfil L de hierro                                | m²    |        | 3,0870 | 3,0816 | 3,1173 | 3,1875 | 3,2546 | 3,2804 | 3,2776 | 3,2963 | 3,3933 | 3,4016 | 3,4144 |
| 5110        | Escalera tipo marinera de HºGº   | ml    | 6,0717 | 6,2873 | 6,2074 | 6,4138 | 6,5548 | 6,5608 | 6,6905 | 6,6648 | 6,7372 | 6,8913 | 6,8960 | 6,9004 |
| 5111        | Escalera tipo marinera de HºGº c/protección                                      | ml    | 6,0062 | 6,2462 | 6,2434 | 6,4354 | 6,5765 | 6,6057 | 6,6941 | 6,6845 | 6,7538 | 6,9228 | 6,9292 | 6,9352 |
| 5112        | PROVISION Y COLOCACION PILOTES Y CORDON FRONTAL PUERTO                           | c/un  | 4,5368 | 4,6908 | 4,7263 | 4,8666 | 4,9590 | 5,0896 | 5,1346 | 5,1661 | 5,2754 | 5,3328 | 5,4357 | 5,5317 |
| 5114        | Ascensor 2 paradas   | un    | 1,4235 | 1,4555 | 1,3096 | 1,3045 | 1,3122 | 1,2412 | 1,3136 | 1,3285 | 1,3309 | 1,3383 | 1,3474 | 1,3491 |
| 5125        | Matafuegos y balde P/extinción de focos de incendio                              | gl    | 2,2886 | 2,3502 | 2,3649 | 2,4180 | 2,4534 | 2,4690 | 2,6169 | 2,7491 | 2,7575 | 2,7766 | 2,7793 | 2,7821 |
| 5170        | Mástil completo - S/pilar 0,60x0,60x0,80 - vereda perim. 0,60                    | un.   | 5,3444 | 5,4779 | 5,3360 | 5,6063 | 5,7891 | 5,7888 | 5,9941 | 5,9528 | 6,0811 | 6,1518 | 6,1572 | 6,1623 |
| 5171        | Equipamiento para mataderos de excepción   | gl    | 5,9823 | 6,1614 | 6,0547 | 6,2026 | 6,5891 | 6,6921 | 6,8072 | 6,7679 | 6,8213 | 7,0383 | 7,0383 | 7,0383 |
| 5172        | Corral rural - postes c/2m - 1,60m de altura - alambre 11 hilos                  | ml    | 2,8786 | 2,9497 | 2,8931 | 3,0104 | 3,0931 | 3,1341 | 3,2145 | 3,2023 | 3,3977 | 3,4202 | 3,4491 | 3,4555 |
| 5173        | Tranquera 3mx1,40m   | c/un  | 4,7080 | 4,8660 | 4,9143 | 5,0896 | 5,2064 | 5,3481 | 5,4071 | 5,4256 | 5,5578 | 5,6054 | 5,6761 | 5,7477 |
| 5174        | Mangas para lavaderos/mataderos de ganado vacuno                                 | ml    | 5,0851 | 5,1995 | 5,1317 | 5,4333 | 5,5580 | 5,6088 | 5,7737 | 5,7495 | 6,0602 | 6,1125 | 6,2094 | 6,3085 |
| 5175        | Conductos de inyección/retorno A.A. Central                                      | 100Kg | 4,3218 | 4,4110 | 4,2705 | 4,4983 | 4,6059 | 4,6157 | 4,7859 | 4,7363 | 4,8734 | 4,9073 | 4,9332 | 4,9590 |
| 5176        | Prov. y Coloc. Equipo de A.A. Central Roof-Top YORK 20 TR (60.000FS) - FRIO SOLO | c/un  | 4,6848 | 4,8887 | 4,8467 | 4,9029 | 4,9547 | 4,7840 | 4,8341 | 4,8321 | 4,9500 | 5,1616 | 5,3089 | 5,4334 |
| 5177        | Equipamiento para mataderos  | gl    | 4,2369 | 4,3947 | 4,3445 | 4,4386 | 4,5036 | 4,5266 | 4,5973 | 4,5869 | 4,6721 | 4,7102 | 4,7233 | 4,7364 |
| 5178        | Cartel indicador de chapa negra N° 18 abulonado a muro                           | m²    | 5,4168 | 5,5326 | 5,3770 | 5,6468 | 5,7838 | 5,8121 | 6,0186 | 5,9609 | 6,1083 | 6,2270 | 6,2575 | 6,2884 |
| <b>6000</b> | <b>INSTALACION SANITARIA</b>   |       |        |        |        |        |        |        |        |        |        |        |        |        |
| 6001        | Pozo absorbente (d: 1,20 m, prof.12 m)   | un    | 5,3554 | 5,4262 | 5,1723 | 5,5619 | 5,7428 | 5,6850 | 5,9927 | 5,9042 | 6,0544 | 6,0872 | 6,0947 | 6,1019 |
| 6002        | Pozo absorbente (d: 1,50 m, prof.12 m)   | un    | 5,6156 | 5,6681 | 5,3534 | 5,7926 | 5,9745 | 5,8847 | 6,2361 | 6,1232 | 6,2974 | 6,3272 | 6,3327 | 6,3380 |
| 6003        | Pozo absorbente (d: 2,00 m, prof.12 m)   | un    | 5,8339 | 5,8777 | 5,5228 | 5,9885 | 6,1523 | 6,0447 | 6,4159 | 6,2818 | 6,4718 | 6,5062 | 6,5128 | 6,5193 |
| 6004        | Camara septica - 1.05 x 2.25 x 1.20  | un    | 5,2587 | 5,3471 | 5,1401 | 5,5008 | 5,6807 | 5,6545 | 5,9276 | 5,8504 | 5,9917 | 6,0348 | 6,0435 | 6,0523 |
| 6005        | Camara septica - 1.20 x 2.55 x 1.20  | un    | 5,2617 | 5,3493 | 5,1433 | 5,5063 | 5,6887 | 5,6622 | 5,9367 | 5,8591 | 6,0009 | 6,0432 | 6,0515 | 6,0601 |
| 6006        | Camara septica - 1.20 x 2.55 x 1.35  | un    | 5,2422 | 5,3307 | 5,1277 | 5,4877 | 5,6697 | 5,6442 | 5,9165 | 5,8406 | 5,9811 | 6,0227 | 6,0312 | 6,0399 |
| 6007        | Camara septica - 1.35 x 2.70 x 1.35  | un    | 5,2769 | 5,3627 | 5,1531 | 5,5198 | 5,7023 | 5,6725 | 5,9506 | 5,8724 | 6,0148 | 6,0563 | 6,0644 | 6,0729 |
| 6008        | Camara septica - 1.35 x 3 x 1.35   | un    | 5,3251 | 5,4076 | 5,1883 | 5,5636 | 5,7449 | 5,7096 | 5,9949 | 5,9125 | 6,0586 | 6,1000 | 6,1079 | 6,1162 |
| 6009        | Boca de desagüe tapada - 20 x 20 x 50  | un    | 5,2983 | 5,3928 | 5,1763 | 5,5419 | 5,6970 | 5,6600 | 5,9327 | 5,8414 | 6,0043 | 6,0610 | 6,0681 | 6,0767 |
| 6010        | Boca de desagüe tapada - 30 x 30 x 70  | un    | 5,2271 | 5,3198 | 5,1138 | 5,4754 | 5,6425 | 5,6076 | 5,8795 | 5,7993 | 5,9516 | 5,9979 | 6,0054 | 6,0138 |
| 6011        | Boca de desagüe abierta - 20 x 20 x 50   | un    | 5,2442 | 5,3441 | 5,1393 | 5,4931 | 5,6454 | 5,6156 | 5,8766 | 5,7893 | 5,9501 | 6,0084 | 6,0159 | 6,0252 |
| 6012        | Boca de desagüe abierta - 30 x 30 x 50   | un    | 5,2260 | 5,3217 | 5,1175 | 5,4754 | 5,6374 | 5,6057 | 5,8726 | 5,7875 | 5,9436 | 5,9947 | 6,0020 | 6,0112 |
| 6013        | Boca de desagüe abierta - 40 x 40 x 50   | un    | 4,3970 | 4,5391 | 4,4454 | 4,6118 | 4,6957 | 4,7246 | 4,8489 | 4,8192 | 4,8897 | 4,9327 | 4,9604 | 4,9835 |
| 6014        | Pileta de patio tapada - 20 x 20 x 50  | un    | 5,2889 | 5,3842 | 5,1654 | 5,5256 | 5,6748 | 5,6376 | 5,9060 | 5,8158 | 5,9791 | 6,0380 | 6,0457 | 6,0543 |
| 6015        | Pileta de patio abierta - 20 x 20 x 50   | un    | 4,9563 | 5,0767 | 4,9319 | 5,2326 | 5,3814 | 5,3834 | 5,5973 | 5,5333 | 5,6760 | 5,7390 | 5,7481 | 5,7583 |
| 6016        | Camara de inspeccion - 60 x 60 x 1.20  | un    | 5,0584 | 5,1661 | 4,9965 | 5,3180 | 5,4993 | 5,5069 | 5,7440 | 5,6749 | 5,8105 | 5,8596 | 5,8695 | 5,8803 |
| 6017        | Camara de inspeccion - 60 x 1.05 x 2.00  | un    | 5,0373 | 5,1385 | 4,9634 | 5,2899 | 5,4702 | 5,4638 | 5,7095 | 5,6445 | 5,7765 | 5,8166 | 5,8265 | 5,8365 |
| 6018        | Cañería Cloacal  | M     | 6,0878 | 6,1345 | 5,7674 | 6,3056 | 6,4949 | 6,3729 | 6,7777 | 6,6249 | 6,8666 | 6,8962 | 6,9008 | 6,9042 |
| 6019        | Bateria de Baños Comunitarios p/Damas  | un    | 2,6255 | 2,7175 | 2,6834 | 2,7788 | 2,8873 | 2,8803 | 2,9390 | 2,9240 | 3,0259 | 3,0519 | 3,0661 | 3,0814 |
| 6020        | Bateria de Baños Comunitarios p/Caballeros                                       | un    | 2,7609 | 2,8575 | 2,8209 | 2,9226 | 2,9875 | 2,9811 | 3,0440 | 3,0273 | 3,1241 | 3,1530 | 3,1660 | 3,1801 |
| 6021        | Baño Comun   | un    | 2,7268 | 2,8408 | 2,8257 | 2,8871 | 2,9291 | 2,9322 | 2,9702 | 2,9617 | 3,0252 | 3,0623 | 3,0745 | 3,0874 |
| 6022        | Cocina Comun   | un    | 3,7237 | 3,8891 | 3,8735 | 3,9340 | 3,9896 | 4,0079 | 4,0425 | 4,0410 | 4,1168 | 4,1332 | 4,1386 | 4,1439 |
| 6023        | Instalación de Cañería de Agua   | m     | 5,1780 | 5,3178 | 5,1737 | 5,5042 | 5,6229 | 5,6271 | 5,8602 | 5,7669 | 5,9025 | 5,9831 | 6,0000 | 6,0212 |



| Cod.        | Trabajo ( Items.)  | unid.          | Ene-08 | Feb-08 | Mar-08 | Abr-08 | May-08 | Jun-08 | Jul-08 | Ago-08 | Sep-08 | Oct-08 | Nov-08 | Dic-08 |
|-------------|--|----------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 6024        | Cañería Cloacal y pluvial de 0,110   | m              | 5,5468 | 5,6601 | 5,4721 | 5,9095 | 6,0865 | 6,0386 | 6,3257 | 6,2211 | 6,3934 | 6,4642 | 6,4839 | 6,5020 |
| 6025        | Baño discapacitados  | un             | 1,8195 | 1,9103 | 1,9141 | 1,9186 | 1,9264 | 1,9392 | 1,9409 | 1,9450 | 1,9525 | 1,9525 | 1,9512 | 1,9498 |
| 6026        | Cañería de Agua Hidro 3 (Polipropileno) de 0,019                             | m              | 4,8360 | 4,9968 | 4,8801 | 5,1136 | 5,2397 | 5,2524 | 5,4227 | 5,3502 | 5,4543 | 5,5237 | 5,5489 | 5,5804 |
| 6027        | Cañería de Agua Hidro Bronz de 0,019   | m              | 7,2337 | 7,5444 | 7,5799 | 7,7781 | 7,8609 | 8,1731 | 8,2678 | 8,2337 | 8,3698 | 8,4822 | 8,5592 | 8,6361 |
| 6038        | Mesada granítico reconstr. 3,00X0,6 bacha de Ac. Inox.                       | un             | 3,0397 | 3,1753 | 3,1879 | 3,2048 | 3,2399 | 3,3079 | 3,3132 | 3,3238 | 3,4254 | 3,4756 | 3,4776 | 3,4847 |
| 6043        | Cañería Cloacal y pluvial de 0,160   | ml             | 5,4672 | 5,5939 | 5,4448 | 5,7398 | 5,9501 | 5,9305 | 6,1346 | 6,0589 | 7,4745 | 7,4829 | 7,4829 | 7,4829 |
| 6046        | Cañería Cloacal y pluvial de 0,110 c/malla p/vereda                          | m              | 5,2357 | 5,3936 | 5,3261 | 5,6906 | 5,8609 | 5,8733 | 6,0758 | 6,0062 | 6,1506 | 6,2430 | 6,2741 | 6,3043 |
| 6054        | Piletón Lavamanos de 0,40x0,45x2,00  | un             | 3,7625 | 3,8547 | 3,7739 | 3,9632 | 4,0946 | 4,1025 | 4,2321 | 4,1989 | 4,3989 | 4,4596 | 4,4843 | 4,5028 |
| 6055        | Perforación c/equipo de bombeo sumerg. y tablero - H/30m de prof.            | gl             | 4,7629 | 4,9687 | 4,9143 | 5,0169 | 5,0914 | 5,1386 | 5,2161 | 5,2050 | 5,2713 | 5,3661 | 5,3822 | 5,3985 |
| 6056        | Instalacion Sanitaria mataderos  | un             | 5,2488 | 5,3518 | 5,1663 | 5,4861 | 5,6708 | 5,6713 | 5,9046 | 5,8301 | 6,1503 | 6,2016 | 6,2114 | 6,2209 |
| <b>7000</b> | <b>INSTALACION ELÉCTRICA</b>   |                |        |        |        |        |        |        |        |        |        |        |        |        |
| 7001        | Instalación Eléctrica s/artefactos - incl/Caños, Cables, llaves y tomas      | Boca           | 5,9327 | 6,0218 | 5,9186 | 6,3198 | 6,6062 | 6,5774 | 6,8131 | 6,7401 | 6,8788 | 6,9226 | 6,9223 | 6,9350 |
| 7002        | Prov. y coloc. Ventilador de Techo t/Abon Garden blanco 1,2m                 | un             | 3,1331 | 3,2972 | 3,2690 | 3,3057 | 3,4033 | 3,3926 | 3,4219 | 3,4113 | 3,4851 | 3,5791 | 3,5932 | 3,6027 |
| 7003        | Prov. y coloc. Ventilador de Pared Imperio paleta met. 25"                   | un             | 2,4213 | 2,5528 | 2,5363 | 2,5573 | 2,6000 | 2,5939 | 2,6107 | 2,6046 | 2,6600 | 2,7336 | 2,7448 | 2,7522 |
| 7004        | Tablero General Mediano  | un             | 5,9327 | 6,0218 | 5,9186 | 6,3198 | 6,6062 | 6,5774 | 6,8131 | 6,7401 | 6,8788 | 6,9226 | 6,9223 | 6,9350 |
| 7005        | Tablero Chico o deSala de Jardin   | un             | 5,9327 | 6,0218 | 5,9186 | 6,3198 | 6,6062 | 6,5774 | 6,8131 | 6,7401 | 6,8788 | 6,9226 | 6,9223 | 6,9350 |
| 7006        | Prov y Coloc. Artef. P/Fluorec. Doble v/Celtia de Philips 2 x 36W            | un             | 1,8308 | 1,8919 | 1,8939 | 1,9456 | 2,0193 | 2,0271 | 2,1242 | 2,2056 | 2,2868 | 2,3272 | 2,3307 | 2,3342 |
| 7007        | Prov y Coloc. De Artef. T/Tortuga XULUX APL-D 27                             | un             | 3,1518 | 3,2415 | 3,2151 | 3,3317 | 3,4708 | 3,4593 | 3,5248 | 3,6238 | 3,6700 | 3,7019 | 3,7019 | 3,7019 |
| 7008        | Prov. y coloc. de termotanque eléctrico 130 lts. Rhem o similar.             | un             | 1,7863 | 1,8384 | 1,8797 | 1,9289 | 1,9707 | 1,9886 | 1,9922 | 1,9909 | 2,0058 | 2,0061 | 2,0067 | 2,0074 |
| 7009        | Extractor de aire en pared 3/4 HP monof. - prov. y colocación                | un             | 6,5549 | 6,5549 | 6,0811 | 6,6838 | 6,8610 | 6,6838 | 7,1665 | 6,9911 | 7,2267 | 7,2655 | 7,2655 | 7,2655 |
| 7010        | Tablero general para 10 ITM - 1 ID   | un             | 4,1776 | 4,2561 | 4,1215 | 4,3397 | 4,4378 | 4,3956 | 4,5567 | 4,5007 | 4,5921 | 4,6093 | 4,6619 | 4,7105 |
| 7011        | Tablero general para 5 ITM - 1 ID  | un             | 3,8439 | 3,9360 | 3,8600 | 4,0222 | 4,1272 | 4,1081 | 4,2197 | 4,1829 | 4,2813 | 4,2952 | 4,3567 | 4,4127 |
| 7019        | Cable subterráneo de 4x16 mm2 c/compac. manual de suelo                      | ml             | 7,7075 | 7,9506 | 7,8383 | 8,0309 | 8,2688 | 8,3502 | 8,4861 | 8,5592 | 8,6406 | 8,7745 | 8,7765 | 8,7775 |
| 7080        | Termotanque electrico 130 lts. - prov. y colocación                          | un             | 1,8883 | 1,9393 | 1,9697 | 2,0307 | 2,0754 | 2,0891 | 2,1029 | 2,0980 | 2,1175 | 2,1187 | 2,1193 | 2,1199 |
| <b>8000</b> | <b>CARPINTERÍA</b>   |                |        |        |        |        |        |        |        |        |        |        |        |        |
| 8001        | Prov. y coloc.de Puerta ext. madera algarrobo 0,80 x 2,00                    | un             | 3,7182 | 3,8803 | 3,9175 | 4,0361 | 4,0693 | 4,0966 | 4,2026 | 4,1887 | 4,2357 | 4,3267 | 4,4350 | 4,4428 |
| 8002        | Prov. y coloc. de Puerta interior placa                                      | un             | 3,9670 | 4,1272 | 4,1270 | 4,2569 | 4,3023 | 4,3241 | 4,4815 | 4,4930 | 4,5790 | 4,6697 | 4,7401 | 4,7479 |
| 8003        | Prov. y coloc. de Ventana de mad. Algarrobo                                  | un             | 3,4539 | 3,6053 | 3,6257 | 3,7186 | 3,7468 | 3,7718 | 3,8690 | 3,8567 | 3,8918 | 3,9763 | 3,9946 | 4,0016 |
| 8004        | Prov. y coloc. de Ventana metalica corrediza c/celosia 1.50 x 0.90           | un             | 3,3787 | 3,5273 | 3,4022 | 3,4892 | 3,5097 | 3,6225 | 3,6841 | 3,7192 | 3,7574 | 3,8232 | 3,8435 | 3,8536 |
| 8005        | Prov. y Coloc. de Ventiluz metálico c/mosquitero reja, y vidrio 0.70 x 0.50. | un             | 3,2614 | 3,3943 | 3,2606 | 3,3634 | 3,3988 | 3,4940 | 3,5663 | 3,5900 | 3,6247 | 3,6834 | 3,7169 | 3,7260 |
| 8006        | Prov. y coloc. Puerta ext. madera algarrobo 1,60 x 2,00                      | un             | 3,5882 | 3,7563 | 3,8125 | 3,9074 | 3,9305 | 3,9637 | 4,0544 | 4,0478 | 4,0832 | 4,1781 | 4,2929 | 4,3010 |
| 8007        | Ajuste y acondicionamiento de aberturas de madera                            | un             | 3,8734 | 4,0363 | 4,0426 | 4,1479 | 4,1762 | 4,1955 | 4,3472 | 4,3683 | 4,4405 | 4,5387 | 4,6157 | 4,6235 |
| 8008        | Prov. y Coloc. de Ventana de AL. Color 1,50x1,00 corred. vidriada            | un             | 4,4869 | 4,6804 | 4,7598 | 4,9430 | 4,9728 | 5,0452 | 5,1352 | 5,1521 | 5,2245 | 5,3380 | 5,4725 | 5,4821 |
| 8009        | Prov. y Coloc. de Puerta de AL. Color 0,80x2,10 1/4 vidriada                 | un             | 4,4969 | 4,7113 | 4,7652 | 4,8542 | 4,8692 | 4,9575 | 5,0673 | 5,1092 | 5,2639 | 5,3647 | 5,4662 | 5,4767 |
| <b>9000</b> | <b>INFRAESTRUCTURA</b>   |                |        |        |        |        |        |        |        |        |        |        |        |        |
| 9001        | Flete (Inc. Manipuleo)   | km             | 5,7711 | 5,8273 | 5,6024 | 5,8916 | 5,7309 | 5,6988 | 5,8835 | 5,9920 | 6,1004 | 6,1888 | 6,2731 | 6,2932 |
| 9002        | Distribución de Terraplén y Compactación Manual (Esp.:20 cm)                 | m <sup>2</sup> | 5,0353 | 5,1235 | 4,9882 | 5,1882 | 5,0294 | 5,0176 | 5,1235 | 5,2647 | 5,3353 | 5,4412 | 5,5471 | 5,5824 |
| 9003        | Distribución de Terraplén y Compactación Especial (Esp.: 20 cm)              | m <sup>2</sup> | 5,4211 | 5,5000 | 5,3684 | 5,5526 | 5,3421 | 5,3421 | 5,4474 | 5,6579 | 5,6842 | 5,8158 | 5,9211 | 5,9474 |
| 9004        | Trasporte de Suelo Distancia Media 15 km.                                    | m <sup>3</sup> | 5,3230 | 5,4053 | 5,3128 | 5,4650 | 5,1728 | 5,2078 | 5,2531 | 5,4835 | 5,5288 | 5,6502 | 5,7716 | 5,8086 |
| 9005        | Relleno de Zanja con Equipo  | m <sup>3</sup> | 5,0242 | 5,1212 | 4,9939 | 5,1939 | 5,0485 | 5,0424 | 5,1333 | 5,2848 | 5,3394 | 5,4727 | 5,5818 | 5,6242 |
| 9006        | Excavación y coloc. de Caño Ø : 0.40 m                                       | m              | 4,3491 | 4,5148 | 4,5430 | 4,6522 | 4,7273 | 4,7434 | 4,7746 | 4,7807 | 4,8831 | 5,0608 | 5,0750 | 5,0852 |
| 9007        | Excavación y coloc. de Caño Ø : 0.60 m                                       | m              | 4,1939 | 4,3534 | 4,3802 | 4,4872 | 4,5632 | 4,5781 | 4,6099 | 4,6130 | 4,6773 | 4,8468 | 4,8590 | 4,8684 |
| 9008        | Excavación y coloc. de Caño Ø : 0.80 m                                       | m              | 3,5953 | 3,7360 | 3,7668 | 3,8512 | 3,9169 | 3,9319 | 3,9527 | 3,9567 | 4,0088 | 4,1584 | 4,1687 | 4,1766 |
| 9009        | Excavación y coloc. de Caño Ø : 1.00 m                                       | m              | 3,8212 | 3,9723 | 4,0080 | 4,0951 | 4,2010 | 4,2183 | 4,2380 | 4,2420 | 4,2720 | 4,4332 | 4,4434 | 4,4517 |



| Cod.        | Trabajo ( Items.)   | unid.  | Ene-08 | Feb-08 | Mar-08 | Abr-08 | May-08 | Jun-08 | Jul-08 | Ago-08 | Sep-08 | Oct-08 | Nov-08 | Dic-08 |
|-------------|---|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 9010        | Base de Arena Cemento   | m³     | 3,8050 | 3,9893 | 4,1533 | 4,3394 | 4,6223 | 4,7625 | 4,8509 | 4,9411 | 5,0253 | 5,0313 | 5,0373 | 5,0391 |
| <b>9100</b> | <b>RED DISTRIBUIDORA DE AGUA POTABLE</b>                          |        |        |        |        |        |        |        |        |        |        |        |        |        |
| 9101        | Prueba Hidráulica   | m      | 5,5634 | 5,5775 | 5,2254 | 5,6761 | 5,8169 | 5,7042 | 6,0563 | 5,9437 | 6,1127 | 6,1408 | 6,1831 | 6,1831 |
| 9102        | Excavación para Zanjeo (c/ equipo)                                | m³     | 5,2067 | 5,2885 | 5,1154 | 5,3654 | 5,2692 | 5,2308 | 5,3798 | 5,4856 | 5,5721 | 5,6875 | 5,7788 | 5,8125 |
| 9103        | Prov., acarreo y coloc. de cañería de Ø : 0,075                   | m      | 5,3357 | 5,4755 | 5,5828 | 5,9254 | 5,8485 | 5,8811 | 5,9697 | 6,0303 | 6,0793 | 6,2541 | 6,3054 | 6,3240 |
| 9104        | Prov., acarreo y coloc. de cañería de Ø : 0,160                   | m      | 5,0390 | 5,2041 | 5,1972 | 5,3245 | 5,4197 | 5,4713 | 5,5206 | 5,5665 | 7,2007 | 7,2351 | 7,2672 | 7,2764 |
| 9105        | Válvula Esclusa Ø:0,075   | c/un   | 3,8540 | 4,0006 | 3,9825 | 4,0422 | 4,0982 | 4,1282 | 4,1693 | 4,1631 | 4,1829 | 4,3169 | 4,3212 | 4,3254 |
| 9106        | Válvula Esclusa Ø:0,160   | c/un   | 3,8698 | 4,0297 | 4,0235 | 4,0437 | 4,0650 | 4,1018 | 4,1158 | 4,1138 | 4,2934 | 4,4538 | 4,4583 | 4,4627 |
| 9107        | Hidrante a Resorte  | c/un   | 3,7267 | 3,8659 | 3,8517 | 3,9228 | 4,0295 | 4,0577 | 4,1028 | 4,0960 | 4,1959 | 4,3272 | 4,3315 | 4,3357 |
| 9108        | Piezas Especiales para Nudos                                      | c/un   | 4,0597 | 4,2210 | 4,2250 | 4,2801 | 4,3500 | 4,3885 | 4,4154 | 4,4111 | 4,4857 | 4,6414 | 4,6454 | 4,6495 |
| 9109        | Conexiones Domiciliarias  | c/un   | 3,9388 | 4,0582 | 4,0015 | 4,1351 | 4,2147 | 4,2188 | 4,2977 | 4,2949 | 4,3660 | 4,4786 | 4,4984 | 4,5103 |
| <b>9200</b> | <b>RED COLECTORA CLOACAL</b>                                      |        |        |        |        |        |        |        |        |        |        |        |        |        |
| 9201        | Exc de zanjeo y tapado con compactación                           | m³     | 5,3841 | 5,4592 | 5,3116 | 5,5310 | 5,3399 | 5,3347 | 5,4486 | 5,6074 | 5,6792 | 5,7905 | 5,8933 | 5,9249 |
| 9202        | Prov., acarreo y coloc. de cañería de Ø : 0,160                   | m      | 5,2004 | 5,3413 | 5,2801 | 5,4548 | 5,5275 | 5,5523 | 5,6445 | 5,6844 | 7,0381 | 7,0807 | 7,1170 | 7,1285 |
| 9203        | Prueba Hidráulica Cloacal   | m      | 5,6269 | 5,6418 | 5,2985 | 5,7463 | 5,8955 | 5,7836 | 6,1269 | 6,0373 | 6,2090 | 6,2388 | 6,2836 | 6,2836 |
| 9204        | Construcción Boca de Registro                                     | c/un   | 4,5150 | 4,6242 | 4,5163 | 4,7228 | 4,8307 | 4,8495 | 5,0076 | 5,0005 | 5,0995 | 5,1688 | 5,1957 | 5,2141 |
| 9205        | Construcción Domiciliaria L = 8,5 m                               | c/un   | 5,3083 | 5,4405 | 5,3273 | 5,5793 | 5,7675 | 5,7678 | 5,9340 | 5,9113 | 6,3473 | 6,4341 | 6,4533 | 6,4632 |
| 9222        | Prov., acarreo y coloc. de cañería de Ø : 0,200                   | m      | 4,8332 | 4,9767 | 4,9279 | 5,0618 | 5,1894 | 5,2224 | 5,2965 | 5,3274 | 5,6582 | 5,8332 | 5,8668 | 5,8819 |
| <b>9300</b> | <b>RED CONEXIÓN ELÉCTRICA</b>                                     |        |        |        |        |        |        |        |        |        |        |        |        |        |
| 9301        | Conección Eléctrica Domiciliaria (Inc. Alumbrado)                 | c/viv. | 6,5019 | 6,6902 | 6,5631 | 6,7752 | 6,8384 | 6,8966 | 7,4483 | 7,9474 | 8,0891 | 8,2418 | 8,2559 | 8,2665 |
| <b>9400</b> | <b>OBRAS VIALES</b>   |        |        |        |        |        |        |        |        |        |        |        |        |        |
| 9401        | TRANSPORTE DE SUELO - DMT 10KM - 20C/D de 5m3/C                   | m³     | 4,7857 | 4,8487 | 4,7479 | 4,9034 | 4,6471 | 4,6723 | 4,7311 | 4,9202 | 4,9748 | 5,0672 | 5,1681 | 5,1933 |
| 9402        | TRANSPORTE DE SUELOS - DMT 50KM - 4C/D de 5m3/C                   | m³     | 4,7883 | 4,8527 | 4,7512 | 4,9054 | 4,6507 | 4,6732 | 4,7346 | 4,9268 | 4,9746 | 5,0722 | 5,1717 | 5,2000 |
| 9403        | PROVISIÓN DE RIPIO (Puesto sobre Camión)                          | m³     | 4,2671 | 4,3416 | 4,2547 | 4,3913 | 4,2422 | 4,2360 | 4,2919 | 4,4410 | 4,4969 | 4,5963 | 4,6957 | 4,7329 |
| 9404        | TERRAPLENAMIENTO C/RIPIO, COMPACTACION Y NIVELADO                 | m³     | 4,7275 | 4,7921 | 4,6721 | 4,8568 | 4,6790 | 4,6813 | 4,7737 | 4,9215 | 4,9792 | 5,0762 | 5,1732 | 5,2009 |
| 9405        | PROVISION, TRANSPORTE Y TERRAPLENAMIENTO C/RIPIO - DMT 50KM       | m³     | 4,7202 | 4,7857 | 4,6807 | 4,8413 | 4,6177 | 4,6319 | 4,7011 | 4,8771 | 4,9284 | 5,0259 | 5,1248 | 5,1538 |
| 9406        | PROVISION, TRANSPORTE Y TERRAPLENAMIENTO C/RIPIO - DMT 10KM       | m³     | 4,6550 | 4,7212 | 4,6130 | 4,7800 | 4,5853 | 4,5925 | 4,6683 | 4,8281 | 4,8846 | 4,9808 | 5,0793 | 5,1082 |
| 9407        | EXCAVACIÓN PARA APERTURA DE CAJA P/ENRIPIADO                      | m³     | 5,0084 | 5,0714 | 4,8908 | 5,1303 | 4,9916 | 4,9664 | 5,1092 | 5,2143 | 5,3109 | 5,3908 | 5,4748 | 5,5000 |
| 9408        | SANEAMIENTO B/CORD. CUNETAS (DE BASE DE ASIENTO C/COMPACTACION)   | m³     | 4,9219 | 4,9775 | 4,8135 | 5,0356 | 4,8864 | 4,8690 | 5,0009 | 5,1180 | 5,1995 | 5,2810 | 5,3651 | 5,3877 |
| 9409        | EXCAVACIÓN PARA EJECUCION DE CORDON CUNETAS                       | m³     | 5,3544 | 5,3960 | 5,1587 | 5,4777 | 5,4037 | 5,3498 | 5,5670 | 5,6133 | 5,7319 | 5,8074 | 5,8721 | 5,8891 |
| 9410        | CORDÓN CUNETAS DE HORMIGON ARMADO                                 | m³     | 4,6254 | 4,7291 | 4,6417 | 4,8801 | 5,1060 | 5,1606 | 5,3422 | 5,3310 | 5,4828 | 5,4967 | 5,5014 | 5,5040 |
| 9411        | FABRICACION DE BLOQUES PARA PAVIMENTO                             | m³     | 4,0294 | 4,1471 | 4,2059 | 4,3824 | 4,5882 | 4,7353 | 4,8529 | 4,8824 | 4,9706 | 4,9706 | 4,9706 | 4,9706 |
| 9412        | CONSTRUCCIÓN DE SUELO CEMENTO                                     | m³     | 3,7831 | 3,9096 | 3,9671 | 4,0998 | 4,2321 | 4,3131 | 4,3994 | 4,5316 | 4,5484 | 4,5797 | 4,6163 | 4,6268 |
| 9413        | COLOCACION DE BLOQUES PARA PAVIMENTO S/CAMA ARENA 10CM            | m³     | 5,2740 | 5,3915 | 5,2776 | 5,6619 | 5,7972 | 5,8078 | 6,0285 | 6,0071 | 6,2242 | 6,2527 | 6,2811 | 6,2883 |
| 9414        | ESTABILIZACION DE SUB-BASE GRANULAR POR TRITURACION DE CAPAS GRAN | m³     | 4,2129 | 4,3223 | 4,2969 | 4,3438 | 4,4033 | 4,5322 | 4,5508 | 4,6123 | 4,7656 | 4,8047 | 4,8438 | 4,8574 |
| 9415        | PROVISIÓN DE SUELO SELECCIONADO                                   | m³     | 2,7792 | 2,8247 | 3,4156 | 3,4675 | 3,4091 | 3,4805 | 3,5649 | 3,6494 | 3,6688 | 3,7662 | 3,7987 | 3,8182 |
| 9416        | RETIRO Y RECOLOC. CAÑOS DE Hº Aº 80CM P/ACCESOS - 30% REPOS.      | c/un   | 4,7162 | 4,7939 | 4,6218 | 4,8861 | 4,9332 | 4,8792 | 5,0617 | 5,0407 | 5,1515 | 5,2513 | 5,2792 | 5,2903 |
| 9417        | COLOCACIÓN DE CABEZALES DE HºAº PREFABRICADOS P/CAÑO 80CM         | c/un   | 3,8733 | 3,9188 | 3,8697 | 4,0171 | 3,9881 | 4,0256 | 4,1174 | 4,1617 | 4,2544 | 4,2762 | 4,3020 | 4,3079 |
| 9418        | TRANSPORTE DE CAÑOS Y CABEZALES - 27TN/CICLO - 1 C/DIA            | TN     | 4,3808 | 4,4444 | 4,3697 | 4,4755 | 4,2402 | 4,2700 | 4,3020 | 4,4966 | 4,5393 | 4,6204 | 4,7300 | 4,7552 |
| 9419        | SEÑALIZACION VERTICAL   | m²     | 5,0176 | 5,2899 | 5,4345 | 5,9398 | 6,0449 | 6,0592 | 6,1491 | 6,1817 | 6,2948 | 6,3927 | 6,5753 | 6,5701 |